



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> P5602			
	POTASSIUM PHOSPHATE MONOBASIC HPLC		
<b>APPEARANCE</b>	REPORT		WHITE CRYSTALS
Sample ID			
Tested	11/19/24		
Tester	TBUR		
Recorded	11/19/24		
<b>ASSAY OF MATERIAL</b>	>= 99 %		99.7%
	%		
Sample ID			
Tested	11/19/24		
Tester	TBUR		
Recorded	11/19/24		
<b>CHLORIDE CONTENT</b>	<= 0.001 %		<0.001%
	PPM		
Sample ID			
Tested	11/19/24		
Tester	TBUR		
Recorded	11/19/24		
<b>ICP ASSAY</b>	<=0.001 %		<0.001%
	UG/ML		
Sample ID			
Tested	11/19/24		
Tester	TBUR		
Recorded	11/19/24		
<b>IDENTIFICATION</b>	PASS/FAIL		PASS
	PASS		
Sample ID			
Tested	11/19/24		
Tester	TBUR		
Recorded	11/19/24		
<b>INSOLUBLE MATTER</b>	<=0.010 %		<0.01%
	%		
Sample ID			
Tested	11/19/24		
Tester	TBUR		
Recorded	11/19/24		
<b>IRON WT%</b>	<= 0.002 %		<0.002%
	% WT		
Sample ID			
Tested	11/19/24		
Tester	TBUR		
Recorded	11/19/24		
<b>LOSS ON DRYING</b>	<= 0.2 %		<0.2%
	% W/W		
Sample ID			
Tested	11/19/24		
Tester	TBUR		
Recorded	11/19/24		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**OPTICAL ABSORBANCE**

<=0.4 ABS  
 ABSORBENCE

<0.04 ABS

Sample ID  
 Tested 11/19/24  
 Tester TBUR  
 Recorded 11/19/24

**PH OF A 5% SOLUTION**

4  
 PH

4 - 5

4

Sample ID  
 Tested 11/19/24  
 Tester TBUR  
 Recorded 11/19/24

**SODIUM CONTENT**

<=0.005  
 %

<0.005%

Sample ID  
 Tested 11/19/24  
 Tester TBUR  
 Recorded 11/19/24

**SULFATE (SO4) CONTENT**

<=0.003  
 MG/KG

<0.003%

Sample ID  
 Tested 11/19/24  
 Tester TBUR  
 Recorded 11/19/24

**EXPIRATION DATE**

MM/DD/YYYY  
 MM/DD/YYYY

03/30/2026

Sample ID  
 Tested 11/19/24  
 Tester TBUR  
 Recorded 11/19/24

**Lot #** 432301

**Made** 11/18/24

**Quality Manager**