



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> H3699 HYDROXYLAMINE HYDROCHLORIDE ACS			
<b>ASSAY OF MATERIAL</b>	>= 96.0% %		96.50%
Sample ID			
Tested 12/09/24			
Tester TBUR			
Recorded 12/09/24			
<b>Clarity of Solution passes test</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 12/09/24			
Tester TBUR			
Recorded 12/09/24			
<b>RESIDUE AFTER IGNITION</b>	MAX 0.05% %		0.04%
Sample ID			
Tested 12/09/24			
Tester TBUR			
Recorded 12/09/24			
<b>TITRABLE FREE ACID</b>	MAX 0.25 MEQ/G TIT FREE		<0.25 MEQ/G
Sample ID			
Tested 12/09/24			
Tester TBUR			
Recorded 12/09/24			
<b>Ammonium (NH4)</b>	PASSES TEST NH4		PASSES TEST
Sample ID			
Tested 12/09/24			
Tester TBUR			
Recorded 12/09/24			
<b>SULFUR COMPOUNDS (AS S)</b>	MAX 0.005% %		<0.005%
Sample ID			
Tested 12/09/24			
Tester TBUR			
Recorded 12/09/24			
<b>HEAVY METAL (AS PB)</b>	MAX PPM 5 PPM		<5 PPM
Sample ID			
Tested 12/09/24			
Tester TBUR			
Recorded 12/09/24			
<b>IRON</b>	MAX PPM 5 PPM		<5 PPM
Sample ID			
Tested 12/09/24			
Tester TBUR			
Recorded 12/09/24			



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>EXPIRATION DATE</b>	MM/DD/YY	08/30/2027
	MM/DD/YYYY	
Sample ID		
Tested	12/09/24	
Tester	TBUR	
Recorded	12/09/24	
<b>SHELF LIFE OF PRODUCT</b>	<b>SHELF LIFE</b>	<b>3 YEARS</b>
	<b>TIME</b>	
Sample ID		
Tested	12/09/24	
Tester	TBUR	
Recorded	12/09/24	
<b>Lot #</b>	432413	
<b>Made</b>	11/19/24	

**Quality Manager**