



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: M2515			
METHANOL (METHYL ALCOHOL, LOW ACETONE) REAGENT ACS			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	CLEAR, COLORLESS LIQUID APPEARANCE		CLEAR, COLORLESS LIQUID
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
ASSAY OF MATERIAL	>= 99.8% %		100.0%
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
Passed test for presence of carb	MAX 0.001% PASS		<0.001%
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
COLOR	0 PT-CO	= 0	5
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
RESIDUE AFTER EVAPORATION	MAX <=10 PPM		1 PPM
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
SUBSTANCES DARKENED BY SULFURIC ACID	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
SOLUBILITY	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

TITRABLE ACID	MAX 0.0003 MEQ/G T ACID	0.0003 MEQ/G
Sample ID		
Tested	12/06/24	
Tester	TBUR	
Recorded	12/06/24	
TITRABLE BASE	MAX 0.0002 MEQ/G T BASE	0.0001 MEQ/G
Sample ID		
Tested	12/06/24	
Tester	TBUR	
Recorded	12/06/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	05/30/2029
Sample ID		
Tested	12/06/24	
Tester	TBUR	
Recorded	12/06/24	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	5 YEARS
Sample ID		
Tested	12/06/24	
Tester	TBUR	
Recorded	12/06/24	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	06/01/2024
Sample ID		
Tested	12/06/24	
Tester	TBUR	
Recorded	12/06/24	
Lot #	433732	
Made	12/02/24	

Quality Manager