



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A1494			
ACETONE REAGENT ACS			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR			
	REPORT		CLEAR, COLORLESS LIQUID
	APPEARANCE		
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		
ASSAY OF MATERIAL			
	>= 99.5%		99.70%
	%		
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		
COLOR			
	0	= 0	5
	PT-CO		
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		
SOLUBILITY			
	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		
TITRABLE ACID			
	MAX 0.0003 MEQ/G		0.0003 MEQ/G
	T ACID		
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		
TITRABLE BASE			
	MAX 0.0006 MEQ/G		0.00004 MEQ/G
	T BASE		
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		
ALDEHYDE (AS HCHO)			
	MAX 0.002%		0.0012%
	ALDEHYDE		
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		
SUBSTANCES REDUCING			
	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		
PERMANGANATE			
Sample ID			
Tested	12/09/24		
Tester	TBUR		
Recorded	12/09/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

%WATER	MAX 0.5%	0.26%
Sample ID	%WATER	
Tested 12/09/24		
Tester TBUR		
Recorded 12/09/24		
ISOPROPYL ALCOHOL	MAX 0.05%	0.00%
Sample ID	%	
Tested 12/09/24		
Tester TBUR		
Recorded 12/09/24		
PERCENT METHANOL	MAX 0.05%	0.0312%
Sample ID	%MEOH	
Tested 12/09/24		
Tester TBUR		
Recorded 12/09/24		
CONFORMS TO ASTM D329	CONFORMS TO ASTM D329	CONFORMS TO STANDARD
Sample ID	CONFORMS	
Tested 12/09/24		
Tester TBUR		
Recorded 12/09/24		
RESIDUE AFTER EVAPORATION	MAX 0.001%	0.0001%
Sample ID		
Tested 12/09/24		
Tester TBUR		
Recorded 12/09/24		
EXPIRATION DATE	MM/DD/YYYY	04/30/2029
Sample ID	MM/DD/YYYY	
Tested 12/09/24		
Tester TBUR		
Recorded 12/09/24		
SHELF LIFE OF PRODUCT	SHELF LIFE	5 YEARS
Sample ID	TIME	
Tested 12/09/24		
Tester TBUR		
Recorded 12/09/24		
MANUFACTURE DATE	MM/DD/YYYY	05/01/2024
Sample ID	MM/DD/YYYY	
Tested 12/09/24		
Tester TBUR		
Recorded 12/09/24		

Lot # 432707
Made 11/22/24



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 12/09/24 at 12:28 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager