



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: I3140			
IODOFORM 99.0%			
APPEARANCE AND COLOR	BRIGHT YELLOW FINE CRYSTAL POWDER APPEARANCE		BRIGHT YELLOW CRYSTALLINE POWDER
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
INFRARED	AUTHENTIC INFRARED		CONFORMS
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
MELTING POINT	119 TO 122 DEG C DEG		119 DEG C
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
ASSAY OF MATERIAL	> = 99.0% %		100.2%
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
LOSS ON DRYING	< 1% %		0.021% (24 H) (OVER SILICAGEL)
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
RES. AFTER IGNITION	< 0.2% %		0.0085%
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
CHLORINE COMPOUNDS (AS CL)	< 200 PPM PPM		90 PPM
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		07/08/2027
Sample ID			
Tested	12/06/24		
Tester	TBUR		
Recorded	12/06/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 12/06/24 at 8:37 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Lot # 433729
Made 12/02/24

Quality Manager