Printing date 10/03/2024

Reviewed on 10/03/2024

## **1** Identification

- · Product identifier
- · Trade name: Imidazole 20% w/v in Methanol
- · Article number: DOW753
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier:
   Aqua Solutions, Inc.
   6913 Highway 225
   DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator
   Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

# 2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 2

H225 Highly flammable liquid and vapor.

GHS06 Skull and crossbones

Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3

H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.

GHS08 Health hazard

Toxic to Reproduction 1AH360 May damage fertility or the unborn child.Specific Target Organ Toxicity - Single Exposure 1H370 Causes damage to the central nervous system and the<br/>visual organs.

GHS05 Corrosion

Skin Corrosion 1C Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 10/03/2024

Reviewed on 10/03/2024

Trade name: Imidazole 20% w/v in Methanol

(Contd. of page 1)



(Contd. on page 3)

Printing date 10/03/2024

Reviewed on 10/03/2024

#### Trade name: Imidazole 20% w/v in Methanol

(Contd. of page 2)

75.996%

24.004%

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 67-56-1 Methanol

CAS: 288-32-4 Imidazole, Certified

#### 4 First-aid measures

#### · Description of first aid measures

· General information:

*Immediately remove any clothing soiled by the product.* 

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 10/03/2024

Reviewed on 10/03/2024

Trade name: Imidazole 20% w/v in Methanol

(Contd. of page 3)

Personal precau	utions, protective equipment and emergency procedures	
Mount respirate	pry protective device.	
	equipment. Keep unprotected persons away.	
	precautions: Do not allow to enter sewers/ surface or ground water.	
	aterial for containment and cleaning up:	
	uid-binding material (sand, diatomite, acid binders, universal binders,	sawdust).
Use neutralizing		
	inated material as waste according to section 13.	
Ensure adequat		
Reference to oth		
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.		
	n Crueriu jor Chemicuis	
PAC-1:		
CAS: 67-56-1	Methanol	530 ppm
CAS: 288-32-4	Imidazole, Certified	0.66 mg/m <sup>3</sup>
<i>PAC-2:</i>		
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 288-32-4	Imidazole, Certified	7.3 mg/m <sup>3</sup>
PAC-3:		72.00.1
<b>PAC-3:</b> CAS: 67-56-1	Methanol	7200* ppm

# 7 Handling and storage

Handling:
Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
   Store in cool, dry conditions in well sealed receptacles.
   Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 10/03/2024

Reviewed on 10/03/2024

Trade name: Imidazole 20% w/v in Methanol

(Contd. of page 4)

	itional information about design of technical systems: No further data; see section 7.
	trol parameters
	ponents with limit values that require monitoring at the workplace:
	following constituent is the only constituent of the product which has a PEL, TLV or other recommended sure limit.
	is time, the remaining constituent has no known exposure limits.
	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm
NLL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin
TLV	Short-term value: 250 ppm
12,	Long-term value: 200 ppm
	Skin; BEIc
· Ingr	edients with biological limit values:
CAS	: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
1	
	Time: end of shift
	Time: end of shift LD50: Methanol (background, nonspecific)
· Addi	Time: end of shift
	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis.
· Expe	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. psure controls
· Expo · Pers	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis.
· Expo · Pers · Geno Keep	Time: end of shift LD50: Methanol (background, nonspecific) <b>itional information:</b> The lists that were valid during the creation were used as basis. <b>osure controls</b> <b>onal protective equipment:</b> <b>eral protective and hygienic measures:</b> <b>o</b> away from foodstuffs, beverages and feed.
• Expo • Pers • Geno Keep Imm	Time: end of shift LD50: Methanol (background, nonspecific) <b>itional information:</b> The lists that were valid during the creation were used as basis. <b>osure controls</b> <b>onal protective equipment:</b> <b>eral protective and hygienic measures:</b> o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing.
• Expe • Pers • Gen Keep Imm Was	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. psure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work.
• Expo • Pers • Gen Keep Imm Wash Store	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately.
<ul> <li>Expension</li> <li>Pers</li> <li>Gena</li> <li>Keep</li> <li>Imm</li> <li>Wash</li> <li>Store</li> <li>Avoi</li> </ul>	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. posure controls onal protective equipment: eral protective and hygienic measures: po away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes.
• Expo • Pers • Gen Keep Imm Wash Store Avoi Avoi	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. posure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes and skin.
• Expo • Pers • Gen Keep Imm Wash Store Avoi Avoi • Brea	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. posure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes and skin. thing equipment:
<ul> <li>Expension</li> <li>Pers</li> <li>Gena</li> <li>Keep</li> <li>Imm</li> <li>Wash</li> <li>Store</li> <li>Avoi</li> <li>Avoi</li> <li>Brea</li> <li>In cc</li> </ul>	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. posure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes and skin. thing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
<ul> <li>Expo</li> <li>Pers</li> <li>Gend Keep Imm</li> <li>Wash Stord Avoi</li> <li>Bread In correspondence</li> </ul>	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. posure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes. d contact with the eyes and skin. tthing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us iratory protective device that is independent of circulating air.
<ul> <li>Expo</li> <li>Pers</li> <li>Gend Keep Imm</li> <li>Wash Stord Avoi</li> <li>Bread In correspondence</li> </ul>	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. posure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes and skin. thing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
<ul> <li>Expo</li> <li>Pers</li> <li>Gend Keep Imm</li> <li>Wash Stord Avoi</li> <li>Bread In correspondence</li> </ul>	Time: end of shift LD50: Methanol (background, nonspecific) <b>itional information:</b> The lists that were valid during the creation were used as basis. <b>osure controls</b> <b>onal protective equipment:</b> <b>eral protective and hygienic measures:</b> <b>o</b> away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes and skin. <b>thing equipment:</b> use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us iratory protective device that is independent of circulating air. <b>ection of hands:</b>
<ul> <li>Expo</li> <li>Pers</li> <li>Gend Keep Imm</li> <li>Wash Stord Avoi</li> <li>Bread In correspondence</li> </ul>	Time: end of shift LD50: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis. posure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes and skin. tthing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us iratory protective device that is independent of circulating air.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

(Contd. of page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/03/2024

Reviewed on 10/03/2024

### Trade name: Imidazole 20% w/v in Methanol

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 $\cdot$  Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear to pale yellow	
Odor:	Methanol	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	64.4 °C (147.9 °F)	
Flash point:	11 °C (51.8 °F)	
Flammability:	Highly flammable.	
Auto igniting:	455 °C (851 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.72153 g/cm <sup>3</sup> (6.02117 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Printing date 10/03/2024

Reviewed on 10/03/2024

Trade name: Imidazole 20% w/v in Methanol

		(Contd. of page 6)
• Solvent content: Organic solvents:	76.0 %	
VOC content:	76.00 % 548.3 g/l / 4.58 lb/gal	
Solids content:	24.0 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

#### · Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
	LD50	124 mg/kg	
Dermal Inhalative	LD50	124 mg/kg 395 mg/kg	
Inhalative	LC50/4h	3.95 mg/l	

#### • Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Toxic* 

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 10/03/2024

Reviewed on 10/03/2024

Trade name: Imidazole 20% w/v in Methanol

(Contd. of page 7)

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN2733
· UN proper shipping name	
$\cdot DOT$	Amines, flammable, corrosive, n.o.s. (Methanol, Imidazole)
· IMDG, IATA	AMINES, FLAMMABLE, CORROSIVE, N.O.S. (Methano Imidazole)
· Transport hazard class(es)	
· DOT	
RAMADE LOOP	
· Class	3 Flammable liquids
· Label	3, 8

Printing date 10/03/2024

Reviewed on 10/03/2024

Trade name: Imidazole 20% w/v in Methanol

	(Contd. of page
IMDG	
Class Label	3 Flammable liquids 3/8
IATA	
Class Label	3 Flammable liquids 3 (8)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code).	
EMS Number:	F-E,S-C
Segregation groups Stowage Category	(SGG18) Alkalis B
Stowage Category Stowage Code	Б SW2 Clear of living quarters.
Sowage Code Segregation Code	SW2 Clear of tiving quarters. SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 5 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S (METHANOL, IMIDAZOLE), 3 (8), II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 10)

Printing date 10/03/2024

Reviewed on 10/03/2024

Trade name: Imidazole 20% w/v in Methanol

	(Contd. of pag
Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
Methanol	ACTIV
Imidazole, Certified	ACTIV
Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Hazard pictograms	e Globally Harmonized System (GHS)
GHS02 GHS05 GHS06 GHS08	
Signal word Danger	
Hazard-determining components of labeling: Methanol Imidazole, Certified	
Hazard statements	

Highly flammable liquid and vapor.
Toxic if swallowed, in contact with skin or if inhaled.
Causes severe skin burns and eye damage.
May damage fertility or the unborn child.
Causes damage to the central nervous system and the visual organs.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 11)

Printing date 10/03/2024

Reviewed on 10/03/2024

#### Trade name: Imidazole 20% w/v in Methanol

	(Contd. of page 10)
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with we	ater/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses	s, if present and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international	al regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision Revision 0.0, 10-03-2024: Creation date for SDS. CMC/STN 10/03/2024 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI:** Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 12)

US

Printing date 10/03/2024

Reviewed on 10/03/2024

Trade name: Imidazole 20% w/v in Methanol

Toxic to Reproduction 1A: Reproductive toxicity – Category 1A Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 (Contd. of page 11)

US