



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> D4850			
N, N-DIMETHYLFORMAMIDE REAGENT ACS			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	MIN 99.8%		99.97%
	%		
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>COLOR</b>	MAX 15		<10 APHA
	PT-CO		
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>RESIDUE OF EVAPORATION</b>	MAX 0.005%		<0.0005%
	RESIDUEEVA		
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>TITRABLE ACID</b>	MAX 0.0005 MEQ/G		0.00032 MEQ/G
	TITRABLEAC		
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>TITRATABLE BASE</b>	MAX 0.003 MEQ/G		0.0002 MEQ/G
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>WATER CONTENT</b>	MAX 0.15%		0.003%
	%		
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>EXPIRATION DATE</b>	MM/DD/YY		10/31/2026
	MM/DD/YYYY		
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>MANUFACTURE DATE</b>	MM/DD/YY		10/30/2024
	MM/DD/YYYY		
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 12/17/24 at 1:49 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**SHELF LIFE OF PRODUCT**

2 YEARS  
TIME

2 YEARS

Sample ID

Tested 12/17/24

Tester TBUR

Recorded 12/17/24

**Lot #** 434408

**Made** 12/09/24

**Quality Manager**