



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> H3012			
HYDROGEN PEROXIDE 35% FOR DILUTIONS			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	35.0% TO 36.0%		35.44%
	%		
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>COLOR</b>	22 MAX PT-CO		<5
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>PH OF PRODUCT/SOLUTION</b>	3.000 PH	2.700 - 3.300	2.700
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>PPM TIN</b>	295 PPM	260 - 325	260
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>STABILITY, % (24 HOUR)</b>	97.0% MIN		99.7
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>STABILITY % (6%)</b>	90.0% MIN		90.00%
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
<b>Lot #</b>	433915		
<b>Made</b>	12/04/24		

*Richard [Signature]*

**Quality Manager**