



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 4110			
Hydrochloric Acid 0.02 Normal NIST Traceable Solution			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID			
Tested 12/16/24			
Tester JENC			
Recorded 12/16/24			
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES		YES
Sample ID			
Tested 12/16/24			
Tester JENC			
Recorded 12/16/24			
<b>DATE OF SAMPLING FOR TEST PURPOSES</b>	MM/DD/YYYY		12/16/2024
Sample ID			
Tested 12/16/24			
Tester JENC			
Recorded 12/16/24			
<b>AMBIENT TEMPERATURE DURING SAMPLING DEGC</b>	25.0 DEG C	10.0 - 35.0	20.0
Sample ID			
Tested 12/16/24			
Tester JENC			
Recorded 12/16/24			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY MM/DD/YYYY		12/16/2024
Sample ID			
Tested 12/16/24			
Tester JENC			
Recorded 12/16/24			
<b>AMBIENT TEST TEMPERATURE DEGC</b>	20.0 DEG C	15.0 - 30.0	20.0
Sample ID			
Tested 12/16/24			
Tester JENC			
Recorded 12/16/24			
<b>Actual Density</b>	0.99864 G/ML	0.99822 - 0.99906	0.99861
Sample ID			
Tested 12/16/24			
Tester JENC			
Recorded 12/16/24			
<b>Actual Normality</b>	0.0200 EQ/L	0.0195 - 0.0205	0.0197
Sample ID			
Tested 12/16/24			
Tester JENC			
Recorded 12/16/24			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>QCSP5: STANDARDIZATION OF AQUEOUS ACIDS</b>	YES METHOD	YES
Sample ID		
Tested 12/16/24		
Tester JENC		
Recorded 12/16/24		
<b>N.I.S.T. Traceable to SRM 723 THAM</b>	YES YES	YES
Sample ID		
Tested 12/16/24		
Tester JENC		
Recorded 12/16/24		
<b>APPEARANCE AND COLOR</b>	CLEAR LIQUID APPEARANCE	PASS
Sample ID		
Tested 12/16/24		
Tester JENC		
Recorded 12/16/24		
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT	GC,T-293,M55,BURET:06419
Sample ID		
Tested 12/16/24		
Tester JENC		
Recorded 12/16/24		
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	12/30/25
Sample ID		
Tested 12/16/24		
Tester JENC		
Recorded 12/16/24		
<b>SHELF LIFE OF PRODUCT</b>	1 YEAR TIME	1 YEAR
Sample ID		
Tested 12/16/24		
Tester JENC		
Recorded 12/16/24		
<b>Lot #</b>	4112540	
<b>Made</b>	12/16/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 12/16/24 at 1:55 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**