



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: T8326			
2, 4, 6-TRI(2-PYRIDYL)-S-TRIAZINE 99%			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	WHITE TO CREAM TO YELLOW POWDER APPEARANCE		YELLOW POWDER
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
INFRARED SPECTRUM	CONFORMS		CONFORMS
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
MELTING POINT	248 - 252°C °C		249.9
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
Titration with HClO₄ (Perchloric Acid)	98.5 - 101.5% %		99.9%
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
RELEASE DATE	MM/DD/YYYY DD/MM/YYYY		01/31/2023
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
EXPIRATION DATE	MM/DD/YYYY MM/DD/YYYY		01/31/2028
Sample ID			
Tested	12/17/24		
Tester	TBUR		
Recorded	12/17/24		
Lot #	433907		
Made	12/04/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 12/17/24 at 10:21 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager