



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: G7502-20L
 GLYCEROL 99.5% LABORATORY GRADE

Lot # 429901

Chemical Product: G7500
 GLYCEROL (GLYCERIN) REAGENT ACS

Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	CLEAR COLORLESS VISCOUS LIQUID APPEARANCE		PASS
Sample ID			
Tested	10/29/24		
Tester	GWEB		
Recorded	10/29/24		
ASSAY OF MATERIAL	99.0%-101.0% %		100.8%
Sample ID			
Tested	10/29/24		
Tester	GWEB		
Recorded	10/29/24		
COLOR	MAX 10 APHA PT-CO		0
Sample ID			
Tested	10/28/24		
Tester	TBUR		
Recorded	10/28/24		
Specific Gravity	1.2615 SPECIFIC GRAVIT	1.2613 - 1.3000	1.2615
Sample ID			
Tested	10/29/24		
Tester	GWEB		
Recorded	10/29/24		
READILY CARBONIZABLE SUBSTANCE	PASS PASSES		PASS
Sample ID			
Tested	10/29/24		
Tester	GWEB		
Recorded	10/29/24		
RESIDUAL SOLVENTS	PASS		PASS
Sample ID			
Tested	10/29/24		
Tester	GWEB		
Recorded	10/29/24		
RESIDUE AFTER IGNITION	MAX 0.01% %		0.000
Sample ID			
Tested	10/28/24		
Tester	TBUR		
Recorded	10/28/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

CHLORIDE CONTENT	< 10 PPM PPM	PASS
Sample ID		
Tested	10/29/24	
Tester	GWEB	
Recorded	10/29/24	
SULFATE (SO4) CONTENT	MAX 20 PPM MG/KG	PASS
Sample ID		
Tested	10/28/24	
Tester	TBUR	
Recorded	10/28/24	
FATTY ACID ESTERS (AS BUTYRIC ACID)	0.3 ML OF 0.5N NAOH FATTY ACID	0.1
Sample ID		
Tested	10/28/24	
Tester	TBUR	
Recorded	10/28/24	
HEAVY METAL (AS PB)	MAX 5 PPM PPM	PASS
Sample ID		
Tested	10/28/24	
Tester	TBUR	
Recorded	10/28/24	
WATER CONTENT	MAX 0.5% %	0.1
Sample ID		
Tested	10/28/24	
Tester	TBUR	
Recorded	10/28/24	

Made 10/25/24

Quality Manager