



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A1100			
ACETIC ACID GLACIAL REAGENT ACS (210KG/DRUM)			
Test	Target/UOM	Range	Result
ACETIC ACID (CH3COOH) ASSAY	MIN 99.7% ASSAY%		100.0%
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
COLOR	MAX 10 PT-CO		<5
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
CHLORIDE CONTENT	MAX 1 PPM PPM		<1 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
SULFATE (SO4) CONTENT	MAX 1 PPM MG/KG		<1 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
HEAVY METALS (AS LEAD)	MAX 0.5 PPM PPM		<0.5 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
IRON	MAX 0.2 PPM PPM		<0.1 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
TITRATABLE BASE	MAX 0.0004 MEQ/G		0.0002 MEQ/G
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

RESIDUE AFTER EVAPORATION	MAX 0.001%	<0.0001%
Sample ID		
Tested	01/07/25	
Tester	TBUR	
Recorded	01/07/25	
EXPIRATION DATE	MM/DD/YY	10/02/2026
	MM/DD/YYYY	
Sample ID		
Tested	01/07/25	
Tester	TBUR	
Recorded	01/07/25	
Lot #	435808	
Made	12/23/24	

Quality Manager