



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A4750			
AMMONIUM HYDROXIDE REAGENT ACS			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	COLORLESS APPEARANCE		PASSES TEST
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
ASSAY AS NH3 % W/W	29.0 W/W%	28.0 - 30.0	29.7
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
CARBON DIOXIDE	0.002% MAX CARBON DIO		<0.002%
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
CHLORIDE	0.5PPM MAX CHLORID		<0.5 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
HEAVY METALS (AS LEAD)	0.5 PPM MAX PPM		<0.5 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
IRON CONTENT PPM	0.2 PPM MAX PPM		<0.2 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
NITRATE (NO3) CONTENT	2 PPM MAX PPM		<2 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
PHOSPHATE CONTENT	2 PPM MAX PPM		<2 PPM
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

RES. AFTER IGNITION	0.002% MAX %	<0.002%
Sample ID		
Tested	01/07/25	
Tester	TBUR	
Recorded	01/07/25	
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST PASS	PASSES TEST
Sample ID		
Tested	01/07/25	
Tester	TBUR	
Recorded	01/07/25	
SULFATE (SO4) CONTENT	< 2 PPM MG/KG	<2 PPM
Sample ID		
Tested	01/07/25	
Tester	TBUR	
Recorded	01/07/25	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	12/09/2026
Sample ID		
Tested	01/07/25	
Tester	TBUR	
Recorded	01/07/25	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	2 YEARS
Sample ID		
Tested	01/07/25	
Tester	TBUR	
Recorded	01/07/25	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	12/09/2024
Sample ID		
Tested	01/07/25	
Tester	TBUR	
Recorded	01/07/25	
Lot #	435810	
Made	12/23/24	

Quality Manager