



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: X7521			
o-XYLENE CERTIFIED (FISHER 05081-4)			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR			
	REPORT		CLEAR, COLORLESS LIQUID
	APPEARANCE		
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
COLOR			
	<= 20 APHA		<5 APHA
	PT-CO		
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
IDENTIFICATION			
	PASS TEST		PASSES TEST
	PASS		
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
MELTING RANGE			
	BETWEEN -26 -22 DEG C		-25 -23 DEG C
	DEG		
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
MANUFACTURE DATE			
	MM/DD/YY		06/27/2024
	MM/DD/YYYY		
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
EXPIRATION DATE			
	MM/DD/YY		06/30/2029
	MM/DD/YYYY		
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
SHELF LIFE OF PRODUCT			
	5 YEARS		5 YEARS
	TIME		
Sample ID			
Tested	01/07/25		
Tester	TBUR		
Recorded	01/07/25		
Lot #	435202		
Made	12/17/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 01/07/25 at 9:57 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager