



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 7725			
POTASSIUM THIOCYANATE 0.1 NORMAL			
Test	Target/UOM	Range	Result
<b>Actual Normality</b>	0.1000 EQ/L	0.0995 - 0.1005	0.0996
Sample ID Tested 01/16/25 Tester ENOR Recorded 01/16/25			
<b>PREPARED TO FORMULATION ON FILE</b>	YES YES		YES
Sample ID Tested 01/16/25 Tester ENOR Recorded 01/16/25			
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE LIQUID APPEARANCE		PASS
Sample ID Tested 01/16/25 Tester ENOR Recorded 01/16/25			
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT		M112,T243,M55,P123,BID0696 9
Sample ID Tested 01/16/25 Tester ENOR Recorded 01/16/25			
<b>N.I.S.T. Traceable to SRM 919 NaCl</b>	YES YES		YES
Sample ID Tested 01/16/25 Tester ENOR Recorded 01/16/25			
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY		07/30/26
Sample ID Tested 01/16/25 Tester ENOR Recorded 01/16/25			
<b>Actual Density</b>	1.00305 G/ML	1.00291 - 1.00319	1.00306
Sample ID Tested 01/16/25 Tester ENOR Recorded 01/16/25			
<b>SHELF LIFE OF PRODUCT</b>	18 MONTHS TIME		18 MONTHS
Sample ID Tested 01/16/25 Tester ENOR Recorded 01/16/25			



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>QCSP13:STANDARDIZATION</b>	YES	YES
<b>POTASSIUM&amp;AMMONIU</b>	QCSP13	
Sample ID		
Tested	01/16/25	
Tester	ENOR	
Recorded	01/16/25	
<b>Lot #</b>	5010796	
<b>Made</b>	01/16/25	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**