



800 McKinley Ave
Columbus, OH 43222
USA

www.gfschemicals.com

Certificate of Analysis

502418
GFS-64503

Tel: 800.858.9682 . 740.881.5501
Fax: 740.881.5989

Product name: SELENIUM DIOXIDE, 99.8%
Item #: 1189
Lot #: 24017659
Certified Values:

Specifications	Status	Results
Assay (metals basis) 99.8% - Min	Pass	99.8
Ag (ppm)	Pass	<1
Al (ppm)	Pass	<1
As (ppm)	Pass	<1
Ba (ppm)	Pass	<1
Bi (ppm)	Pass	<1
Ca (ppm)	Pass	<1
Cd (ppm)	Pass	<1
Ce (ppm)	Pass	<1
Co (ppm)	Pass	<1
Cr (ppm)	Pass	<1
Cu (ppm)	Pass	<1
Fe (ppm)	Pass	<1
Hg (ppm)	Pass	<1
K (ppm)	Pass	<1
Li (ppm)	Pass	<1
Mg (ppm)	Pass	<1
Mn (ppm)	Pass	<1
Mo (ppm)	Pass	<1
Na (ppm)	Pass	5
Ni (ppm)	Pass	<1
Pb (ppm)	Pass	<1
Pd (ppm)	Pass	<1
Pt (ppm)	Pass	<1
Sb (ppm)	Pass	<1
Sn (ppm)	Pass	<1
Sr (ppm)	Pass	<1
Ti (ppm)	Pass	<1
Zn (ppm)	Pass	<1
Zr (ppm)	Pass	<1

Comments

CoA #: COA-113066 **Best by:** December 7, 2029
Certificate Created By: Troy Barker **Print Date:** January 13, 2025
CoA Creation Date: January 3, 2025
Certified by: Aron Becza - Quality Assurance Manager

Aron Becza