

Certificate of Analysis

800 McKinley Ave Columbus, OH 43222 USA

503418

Tel: 800.858.9682 . 740.881.5501

Fax: 740.881.5989

www.gfschemicals.com

P5283

Product name:

Potassium Nitrite, Reagent (ACS) 794

Item #:

Lot #:

24008772

Certified Values:

Specifications	Status	Results
Assay 96.0% - Min	Pass	97.4
Insoluble 0.01 % Max	Pass	<0.01
Chloride 0.03 % Max	Pass	<0.03
Sulfate 0.01 % Max	Pass	<0.01
Calcium 0.005 % Max	Pass	<0.005
Magnesium 0.002 % Max	Pass	<0.002
Heavy Metals 0.001 % Max	Pass	<0.001
Iron 0.001 % Max	Pass	<0.001
Sodium 0.5 % Max	Pass	<0.5

Comments

Certificate COA-104303 amended as a result of retest analysis on September 11, 2024.

CoA #:

COA-110283

Best by:

September 10, 2025

Certificate Created By:

Michael Beckett

Print Date:

January 29, 2025

CoA Creation Date:

September 11, 2024

Certified by:

Aron Becza - Quality Assurance Manager

Aron Busa

Traceability:

This material was processed under a quality management system that is registered to ISO 9001:2015. The equipment used in the testing of material is NIST traceable. In cases where NIST traceability is not possible, equipment manufacturer recommendations and/or industry best practices are followed.

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practices (cGMP), including without limitation for those finished drug products in 21 CFR Parts 210 and 211. Consult warranty limitations at www.gfschemicals.com For resale by GFS authorized distributors only:

24008772