

BASF CORPORATION



Certificate of Analysis

502416
M5799

Customer: UNIVAR SOLUTIONS USA LLC
HOUSTON TX 77041-3205

Product Number : 50076949
Product Name : N-Methylpyrrolidone dlst.
Vehicle : 7758
Batch/Lot : GD2429001
Manuf.Date : Oct-16-2024

Attention: SHARON.DICKSON@UNIVARSOLUTIONS.COM Shipped Date : Oct-16-2024
eMAIL: sharon.dickson@univarsolutions.com Shipped Quantity : 43,540.000 LB
Cust Prod: 00000000000105751 Delivery Date : Oct-17-2024
Cust Prod Name: N-Methylpyrrolidone dist.
Cust P.O.: 4527223880 Order Number : 163860160 000010
Cust P.O. Line: 10 Delivery Note : 148684341 900001

UNIVAR USA - Houston, Texas	
Univar Code:	16141347
Lot No.:	0877P00527
P.O. #:	
Cust. Code:	
Other:	

Characteristic	Result	UOM	—Specification—		Test Method
			Minimum	Maximum	
Assay (Including DMP)	99.9	%(a)	99.8		STI 8450
DMP	0.2	%(a)		0.4	STI 8450
GBL	0.02	%(a)		0.05	STI 8450
Water	0.01	Weight %		0.05	STI 8432
Color	23	APHA		50	STI 8415
Total Amines by IC (MMA+DMA+TMA)	2	ppm		50	STI 8834
Foreign Matter	Pass				STI 8412

Comments:
Density 1.02-1.04 Typical

Manufactured at:
8404 River Road
Geismar, LA 70734

The above-mentioned data describes the relevant parameters of the product at the time of issuing this certificate of analysis (CoA). The data is controlled at regular intervals as part of our quality assurance program and is provided for reference only. The contractually agreed quality of the product at the time of passing of risk is exclusively determined by our product specification. Unless specifically agreed by the Parties in writing signed by authorized representatives, no suitability for a particular use shall be presumed or implied based on the CoA and the customer is solely responsible for determining and verifying the suitability of the use of the product for any purpose.

This is a computer-generated document. No signature is required.