



800 Kaderly Dr
Columbus, OH 43228-1034
USA

Certificate of Analysis

500311
C2372

Tel: 800.858.9682 . 740.881.5501
Fax: 740.881.5989

www.gfschemicals.com

Product name: Ceric Ammonium Nitrate, Reagent (ACS)
Item #: 13
Lot #: 24017619

Certified Values:

Specifications	Status	Results
Assay 98.5% - Min	Pass	99.9
Insoluble in dilute sulfuric acid (%) 0.05 % Max	Pass	<0.05
Chloride 0.01 % Max	Pass	<0.01
Phosphate 0.02 % Max	Pass	<0.02
Iron 0.005 % Max	Pass	<0.005

Comments

CoA #: COA-112851 **Best by:** November 2, 2026
Certificate Created By: Kimberley Lloyd **Print Date:** December 20, 2024
CoA Creation Date: December 18, 2024
Certified by: Aron Becza - Quality Assurance Manager

Aron Becza

Traceability:

This material was processed under a quality management system that is registered to ISO 9001:2015. The equipment used in the testing of material is NIST traceable. In cases where NIST traceability is not possible, equipment manufacturer recommendations and/or industry best practices are followed.

Measurement Uncertainty:

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practices (cGMP), including without limitation for those finished drug products in 21 CFR Parts 210 and 211. Consult warranty limitations at www.gfschemicals.com For resale by GFS authorized distributors only.

24017619