



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> UC115F			
SODIUM HYDROXIDE 0.5 NORMAL STD ALCOHOLIC-8647			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID			
Tested 02/05/25			
Tester JENC			
Recorded 02/05/25			
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES		YES
Sample ID			
Tested 02/05/25			
Tester JENC			
Recorded 02/05/25			
<b>DATE OF SAMPLING FOR TEST PURPOSES</b>	MM/DD/YYYY		02/05/2025
Sample ID			
Tested 02/05/25			
Tester JENC			
Recorded 02/05/25			
<b>AMBIENT TEMPERATURE DURING SAMPLING DEGC</b>	25.0	10.0 - 35.0	20.0
Sample ID			
Tested 02/05/25			
Tester JENC			
Recorded 02/05/25			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY		02/05/2025
Sample ID			
Tested 02/05/25			
Tester JENC			
Recorded 02/05/25			
<b>AMBIENT TEST TEMPERATURE DEG C</b>	20.0	15.0 - 30.0	20.0
Sample ID			
Tested 02/05/25			
Tester JENC			
Recorded 02/05/25			
<b>Actual Normality</b>	0.5000	0.4995 - 0.5005	0.4997
	EQ/L		
Sample ID			
Tested 02/05/25			
Tester JENC			
Recorded 02/05/25			
<b>QCSP7: STANDARDIZATION OF AQUEOUS BASES</b>	YES		YES
	METHOD		
Sample ID			
Tested 02/05/25			
Tester JENC			
Recorded 02/05/25			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>N.I.S.T. Traceable to SRM 84 (KHP)</b>	YES YES	YES
Sample ID		
Tested	02/05/25	
Tester	JENC	
Recorded	02/05/25	
<b>Actual Density</b>	0.89602 G/ML	0.89364 - 0.89840 0.89716
Sample ID		
Tested	02/05/25	
Tester	JENC	
Recorded	02/05/25	
<b>APPEARANCE AND COLOR</b>	CLEAR LIQUID APPEARANCE	PASS
Sample ID		
Tested	02/05/25	
Tester	JENC	
Recorded	02/05/25	
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT	M112,GC,M1,VF5-L15
Sample ID		
Tested	02/05/25	
Tester	JENC	
Recorded	02/05/25	
<b>SHELF LIFE OF PRODUCT</b>	6 MONTHS TIME	6 MONTHS
Sample ID		
Tested	02/05/25	
Tester	JENC	
Recorded	02/05/25	
<b>EXPIRATION DATE</b>	MM/DD/YYYY MM/DD/YYYY	08/30/2026
Sample ID		
Tested	02/05/25	
Tester	JENC	
Recorded	02/05/25	
<b>Lot #</b>	5012964	
<b>Made</b>	02/05/25	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 02/05/25 at 11:51 AM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**