

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: HOE040F			
GUR QC MULTI-ELEMENT STANDARD (LITER)			
Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON	YES		YES
FILE	YES		
Sample ID			
Tested 03/04/25			
Tester JTRA			
Recorded 03/04/25			
ALUMINUM CONTENT	10.000 ± 0.001 %		10.000
Sample ID			
Tested 03/04/25			
Tester JTRA			
Recorded 03/04/25			
CALCIUM CONTENT	10.000 ± 0.001 CA		10.000
Sample ID			
Tested 03/04/25			
Tester JTRA			
Recorded 03/04/25			
Iron Content	1.000 ± 0.001 PPM		1.000
Sample ID			
Tested 03/04/25			
Tester JTRA			
Recorded 03/04/25			
Magnesium content	5.000 ± 0.001 PPM		5.000
Sample ID			
Tested 03/04/25			
Tester JTRA			
Recorded 03/04/25			
TITANIUM CONTENT	10.000 ± 0.001 PPM		10.000
Sample ID			
Tested 03/04/25			
Tester JTRA			
Recorded 03/04/25			
Zinc Content	25.000 ± 0.001 PPM		25.000
Sample ID			
Tested 03/04/25			
Tester JTRA			
Recorded 03/04/25			
APPEARANCE AND COLOR	CLEAR TO SLIGHT AMBER COLOR APPEARANCE		PASS
Sample ID			
Tested 03/04/25			
Tester JTRA			
Recorded 03/04/25			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 03/05/25 at 6:11 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

INSTRUMENTS USED DURING

INSTRUMENT

GC,M115,VF4-N30

PREPARATION

Sample ID

Tested 03/04/25

Tester JTRA

Recorded 03/04/25

EXPIRATION DATE

MM/DD/YY

09/30/25

MM/DD/YYYY

Sample ID

Tested 03/04/25

Tester JTRA

Recorded 03/04/25

Lot # 5030344

Made 03/04/25

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager