



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> CHA102F Sodium Sulfate 5% w/w Solution			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON</b>	YES		YES
<b>FILE</b>	YES		
Sample ID			
Tested 03/03/25			
Tester DNEW			
Recorded 03/03/25			
<b>Calculated w/w% Sodium Sulfate</b>	5.0 W/W%	4.8 - 5.2	5.0
Sample ID			
Tested 03/03/25			
Tester DNEW			
Recorded 03/03/25			
<b>APPEARANCE AND COLOR</b>	CLEAR LIQUID APPEARANCE		PASS
Sample ID			
Tested 03/03/25			
Tester DNEW			
Recorded 03/03/25			
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT		M122,T-VI
Sample ID			
Tested 03/03/25			
Tester DNEW			
Recorded 03/03/25			
<b>EXPIRATION DATE</b>	MM/DD/YYYY MM/DD/YYYY		09/30/2026
Sample ID			
Tested 03/03/25			
Tester DNEW			
Recorded 03/03/25			
<b>Lot #</b>	5022607		
<b>Made</b>	03/03/25		

  
**Quality Manager**