



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: H3695			
HYDROXYLAMINE HYDROCHLORIDE ACS, FOR MERCURY ANALYSIS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>/=96%		99%
	%		
Sample ID			
Tested	02/04/25		
Tester	TBUR		
Recorded	02/04/25		
RESIDUE OF IGNITION	</=0.05%		<0.05%
	RESIDUE IG		
Sample ID			
Tested	02/04/25		
Tester	TBUR		
Recorded	02/04/25		
MERCURY (HG) CONTENT	</=0.05 PPM		<0.05 PPM
	PPM		
Sample ID			
Tested	02/04/25		
Tester	TBUR		
Recorded	02/04/25		
TITRATABLE FREE ACID	</=0.25 MEQ/G		<0.25 MEQ/G
Sample ID			
Tested	02/04/25		
Tester	TBUR		
Recorded	02/04/25		
CLARITY OF ALCOHOL SOLN	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	02/04/25		
Tester	TBUR		
Recorded	02/04/25		
Ammonium (NH4)	PASSES TEST		PASSES TEST
	NH4		
Sample ID			
Tested	02/04/25		
Tester	TBUR		
Recorded	02/04/25		
MANUFACTURE DATE	MM/DD/YY		09/15/2027
	MM/DD/YYYY		
Sample ID			
Tested	02/04/25		
Tester	TBUR		
Recorded	02/04/25		
EXPIRATION DATE	MM/DD/YY		10/12/2022
	MM/DD/YYYY		
Sample ID			
Tested	02/04/25		
Tester	TBUR		
Recorded	02/04/25		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 02/04/25 at 8:33 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

SHELF LIFE OF PRODUCT

5 YEARS
TIME

5 YEARS

Sample ID

Tested 02/04/25

Tester TBUR

Recorded 02/04/25

Lot # 502903

Made 01/29/25

Quality Manager