

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S0620			
SALICYLIC ACID REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	$\geq 99.0\%$ %		99.3%
Sample ID			
Tested 02/03/25			
Tester TBUR			
Recorded 02/03/25			
RESIDUE AFTER IGNITION	MAX 0.01% %		<0.01%
Sample ID			
Tested 02/03/25			
Tester TBUR			
Recorded 02/03/25			
MELTING POINT	158.0 - 161.0 DEG C DEG		160.3
Sample ID			
Tested 02/03/25			
Tester TBUR			
Recorded 02/03/25			
CHLORIDE CONTENT	MAX 0.001% PPM		<0.001%
Sample ID			
Tested 02/03/25			
Tester TBUR			
Recorded 02/03/25			
HEAVY METAL (AS PB)	MAX 5 PPM PPM		<5 PPM
Sample ID			
Tested 02/03/25			
Tester TBUR			
Recorded 02/03/25			
SULFATE (SO4) CONTENT	MAX 0.003% MG/KG		<0.003%
Sample ID			
Tested 02/03/25			
Tester TBUR			
Recorded 02/03/25			
IRON	MAX 2 PPM PPM		<2 PPM
Sample ID			
Tested 02/03/25			
Tester TBUR			
Recorded 02/03/25			
SUBSTANCES DARKENED BY SULFURIC ACID	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 02/03/25			
Tester TBUR			
Recorded 02/03/25			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 02/03/25 at 10:43 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

EXPIRATION DATE

MM/DD/YY
MM/DD/YYYY

12/10/2029

Sample ID

Tested 02/03/25

Tester TBUR

Recorded 02/03/25

Lot # 503009

Made 02/03/25

Quality Manager