



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 1

Date: 02/14/25 at 1:10 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: T8326 2, 4, 6-TRI (2-PYRIDYL) -S-TRIAZINE 99%			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	WHITE TO CREAM TO YELLOW POWDER APPEARANCE		YELLOW POWDER
Sample ID			
Tested	02/14/25		
Tester	TBUR		
Recorded	02/14/25		
INFRARED SPECTRUM	CONFORMS		CONFORMS
Sample ID			
Tested	02/14/25		
Tester	TBUR		
Recorded	02/14/25		
MELTING POINT	248 - 252°C °C		250 DEG C
Sample ID			
Tested	02/14/25		
Tester	TBUR		
Recorded	02/14/25		
Titration with HClO₄ (Perchloric Acid)	98.5 - 101.5% %		99.4%
Sample ID			
Tested	02/14/25		
Tester	TBUR		
Recorded	02/14/25		
RELEASE DATE	MM/DD/YYYY DD/MM/YYYY		03/15/2024
Sample ID			
Tested	02/14/25		
Tester	TBUR		
Recorded	02/14/25		
EXPIRATION DATE	MM/DD/YYYY MM/DD/YYYY		03/15/2029
Sample ID			
Tested	02/14/25		
Tester	TBUR		
Recorded	02/14/25		
Lot #	503801		
Made	02/07/25		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 02/14/25 at 1:10 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager