



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: E6895 ETHYLENEDIAMINE DIHYDROCHLORIDE 98%			
Test	Target/UOM	Range	Result
COLOR	WHITE PT-CO		WHITE
Sample ID			
Tested	03/13/25		
Tester	TBUR		
Recorded	03/13/25		
FORM	CONFORMS TO REQUIREMENTS FORM		CRYSTALS
Sample ID			
Tested	03/13/25		
Tester	TBUR		
Recorded	03/13/25		
INFRARED SPECTRUM	CONFORMS TO STRUCTURE		CONFORMS
Sample ID			
Tested	03/13/25		
Tester	TBUR		
Recorded	03/13/25		
ASSAY OF MATERIAL	97.5-102.5% %		99.3%
Sample ID			
Tested	03/13/25		
Tester	TBUR		
Recorded	03/13/25		
SOLUBILITY (TURBIDITY)	CLEAR		CLEAR
Sample ID			
Tested	03/13/25		
Tester	TBUR		
Recorded	03/13/25		
SOLUBILITY COLOR	COLORLESS TO VERY FAINT YELLOW (COLOR)		COLORLESS
Sample ID			
Tested	03/13/25		
Tester	TBUR		
Recorded	03/13/25		
MANUFACTURED DATE OF MATERIAL	MM/DD/YYYY MM/DD/YYYY		09/28/2023
Sample ID			
Tested	03/13/25		
Tester	TBUR		
Recorded	03/13/25		
SUGGESTED RETEST PERIOD	3 YEARS		3 YEARS
Sample ID			
Tested	03/13/25		
Tester	TBUR		
Recorded	03/13/25		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 03/13/25 at 4:05 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

SUGGESTED RETEST DATE

MM/DD/YYYY

09/30/2026

Sample ID

Tested 03/13/25

Tester TBUR

Recorded 03/13/25

Lot # 505505

Made 02/24/25

Quality Manager