

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: C5888			
COBALT NITRATE REAGENT ACS CRYSTAL			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	98.0 - 102.0%		99.2%
	%		
Sample ID			
Tested 03/14/25			
Tester TBUR			
Recorded 03/14/25			
INSOLUBLE MATTER	MAX 0.01%		<0.01%
	%		
Sample ID			
Tested 03/14/25			
Tester TBUR			
Recorded 03/14/25			
CHLORIDE CONTENT	MAX 0.002%		<0.002%
	PPM		
Sample ID			
Tested 03/14/25			
Tester TBUR			
Recorded 03/14/25			
SULFATE (SO4) CONTENT	MAX 0.005%		<0.005%
	MG/KG		
Sample ID			
Tested 03/14/25			
Tester TBUR			
Recorded 03/14/25			
CALCIUM CONTENT	MAX 0.005%		<0.005%
	PPM		
Sample ID			
Tested 03/14/25			
Tester TBUR			
Recorded 03/14/25			
COPPER (CU) CONTENT	MAX 0.002%		<0.002%
	PPM		
Sample ID			
Tested 03/14/25			
Tester TBUR			
Recorded 03/14/25			
IRON	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested 03/14/25			
Tester TBUR			
Recorded 03/14/25			
LEAD (PB) CONTENT	0.002%		<0.002%
	MG/L		
Sample ID			
Tested 03/14/25			
Tester TBUR			
Recorded 03/14/25			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 03/14/25 at 9:57 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

MAGNESIUM (MG) CONTENT

MAX 0.005%
PPM

<0.005%

Sample ID

Tested 03/14/25

Tester TBUR

Recorded 03/14/25

NICKEL (NI) CONTENT

MAX 0.15%
PPM

<0.15%

Sample ID

Tested 03/14/25

Tester TBUR

Recorded 03/14/25

POTASSIUM CONTENT

MAX 0.01%
PPM

<0.01%

Sample ID

Tested 03/14/25

Tester TBUR

Recorded 03/14/25

SODIUM CONTENT

MAX 0.05%
%

<0.05%

Sample ID

Tested 03/14/25

Tester TBUR

Recorded 03/14/25

ZINC (ZN) CONTENT

MAX 0.01%
PPM

<0.01%

Sample ID

Tested 03/14/25

Tester TBUR

Recorded 03/14/25

Lot # 507004

Made 03/11/25

Quality Manager