

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D4648-4L DICHLOROMETHANE HPLC GRADE (DX0831-1)			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.9% %		99.94%
Sample ID			
Tested 02/20/25			
Tester TBUR			
Recorded 02/20/25			
EVAPORATION RESIDUE	<= 1 PPM PPM		<0.5 PPM
Sample ID			
Tested 02/20/25			
Tester TBUR			
Recorded 02/20/25			
Fluorescence (as quinine base)	<= 500 PPT PPT		123 PPT
Sample ID			
Tested 02/20/25			
Tester TBUR			
Recorded 02/20/25			
FREE HALOGENS	PASSES FREEHALOGENS		PASSES
Sample ID			
Tested 02/20/25			
Tester TBUR			
Recorded 02/20/25			
IDENTITY	PASSES PASS		PASSES
Sample ID			
Tested 02/20/25			
Tester TBUR			
Recorded 02/20/25			
REFRACTIVE INDEX	REPORT		1.424
Sample ID			
Tested 02/20/25			
Tester TBUR			
Recorded 02/20/25			
Titration Acid	0.10 UEQ/G	0.00 - 0.20	0.10
Sample ID			
Tested 02/20/25			
Tester TBUR			
Recorded 02/20/25			
UV CUTOFF	<= 231 NM NM		229.6 NM
Sample ID			
Tested 02/20/25			
Tester TBUR			
Recorded 02/20/25			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 02/20/25 at 8:27 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

WATER CONTENT

<= 0.005%
%

0.0005%

Sample ID

Tested 02/20/25

Tester TBUR

Recorded 02/20/25

RELEASE DATE

MM/DD/YYYY

01/13/2025

DD/MM/YYYY

Sample ID

Tested 02/20/25

Tester TBUR

Recorded 02/20/25

Lot # 504908

Made 02/18/25

Quality Manager