

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: I7600			
ISOPROPYL ALCOHOL REAGENT ACS			
Test	Target/UOM	Range	Result
ACETONE %	<=0.002 %		<0.002%
Sample ID			
Tested 02/18/25			
Tester TBUR			
Recorded 02/18/25			
ASSAY OF MATERIAL	>= 99.5% %		99.94%
Sample ID			
Tested 02/18/25			
Tester TBUR			
Recorded 02/18/25			
COLOR	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested 02/18/25			
Tester TBUR			
Recorded 02/18/25			
BENZENE (PPM)	<2 PPM		0.6 PPM
Sample ID			
Tested 02/18/25			
Tester TBUR			
Recorded 02/18/25			
SOLUBILITY	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 02/18/25			
Tester TBUR			
Recorded 02/18/25			
WATER CONTENT	MAX 0.2% %		0.006%
Sample ID			
Tested 02/18/25			
Tester TBUR			
Recorded 02/18/25			
RESIDUE AFTER EVAPORATION	< = 0.001%		<0.0001%
Sample ID			
Tested 02/18/25			
Tester TBUR			
Recorded 02/18/25			
INFRARED SPECTRUM	CONFORMS		CONFORMS
Sample ID			
Tested 02/18/25			
Tester TBUR			
Recorded 02/18/25			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 02/17/25 at 10:58 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

CARBONYL AS	<= 0.002	<0.002%
PROPRIONALDEHYDE%	WT%	
Sample ID		
Tested 02/18/25		
Tester TBUR		
Recorded 02/18/25		
TITRABLE ACID	MAX 0.0001 MEQ/G	0.00005 MEQ/G
	T ACID	
Sample ID		
Tested 02/18/25		
Tester TBUR		
Recorded 02/18/25		
TITRABLE BASE	MAX 0.0001 MEQ/G	<0.00001 MEQ/G
	T BASE	
Sample ID		
Tested 02/18/25		
Tester TBUR		
Recorded 02/18/25		
MANUFACTURE DATE	MM/DD/YYYY	01/10/2025
	MM/DD/YYYY	
Sample ID		
Tested 02/18/25		
Tester TBUR		
Recorded 02/18/25		

Lot # 503701
Made 02/06/25

Quality Manager