



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> E6895 ETHYLENEDIAMINE DIHYDROCHLORIDE 98%			
Test	Target/UOM	Range	Result
<b>COLOR</b>	WHITE PT-CO		WHITE
Sample ID			
Tested	03/14/25		
Tester	TBUR		
Recorded	03/14/25		
<b>FORM</b>	CONFORMS TO REQUIREMENTS FORM		CRYSTALLINE POWDER
Sample ID			
Tested	03/14/25		
Tester	TBUR		
Recorded	03/14/25		
<b>WATER (BY KARL FISHER)</b>	%		0.05%
Sample ID			
Tested	03/14/25		
Tester	TBUR		
Recorded	03/14/25		
<b>INFRARED SPECTRUM</b>	CONFORMS TO STRUCTURE		CONFORMS
Sample ID			
Tested	03/14/25		
Tester	TBUR		
Recorded	03/14/25		
<b>TITRATION BY AGNO3</b>	97.5-102.5%		99.2%
Sample ID			
Tested	03/14/25		
Tester	TBUR		
Recorded	03/14/25		
<b>MANUFACTURED DATE OF MATERIAL</b>	MM/DD/YYYY MM/DD/YYYY		02/10/2025
Sample ID			
Tested	03/14/25		
Tester	TBUR		
Recorded	03/14/25		
<b>SUGGESTED RETEST DATE</b>	MM/DD/YYYY		02/10/2030
Sample ID			
Tested	03/14/25		
Tester	TBUR		
Recorded	03/14/25		
<b>Lot #</b>	506501		
<b>Made</b>	03/06/25		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 03/14/25 at 12:26 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Quality Manager**