

Page: 1

Date: 03/14/25 at 2:28 PM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569

Certificate of Analysis / QC Results

Customer PO #:

Customer PO # :				
Packaged Product:	D4771			
	DIISOPROP	YLAMINE 99.5% (319LBS)	/DRUM)	
Test		Target/UOM	Range	Result
PURITY, WT%		>/= 99.5%	g-	99.98%
		% W/W		
Sample ID				
·	03/14/25			
	TBUR			
	03/14/25			
VATER CONTENT		<0.1%		0.010
		%		
Sample ID				
·	03/14/25			
	TBUR			
	03/14/25			
COLOR	-5,, -0	= 15</td <td></td> <td><=10</td>		<=10
- 1-1		PT-CO		
Sample ID		55		
·	03/14/25			
	TBUR			
	03/14/25			
MONOETHANOLAMINE	03/14/23	= 0.1%</td <td></td> <td><0.0030%</td>		<0.0030%
WONCETTIANOLAWINE		%		<0.0030 / ₀
0		/6		
Sample ID Tested	00/44/05			
	03/14/25			
	TBUR			
	03/14/25	/ 0.10/		0.00000/
I-ISOPROPYLIDENE-ISO	DPROPYLA	=0.1%</td <td></td> <td><0.0030%</td>		<0.0030%
MINE		%		
Sample ID				
	03/14/25			
	TBUR			
	03/14/25	/ 0.400/		0.10000/
CETONE %		=0.10%</td <td></td> <td><=0.1000%</td>		<=0.1000%
		%		
Sample ID				
	03/14/25			
Tester	TBUR			
	03/14/25			
SOPROPANOL		=0.2% WT</td <td></td> <td><=0.1000%</td>		<=0.1000%
		%		
Sample ID				
Tested	03/14/25			
	TBUR			
	03/14/25			
MANUFACTURE DATE		MM/DD/YYYY		10/08/2024
		MM/DD/YYYY		
Sample ID				
· ·	03/14/25			
	TBUR			
	03/14/25			

Page: 2

Date: 03/14/25 at 2:28 PM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

Customer PO #:

Lot # 505602 Made 02/25/25

Quality Manager