Printing date 12/30/2024 Reviewed on 12/30/2024

1 Identification

· Product identifier

· Trade name: 25.0 mg/L 9 Metal IP 501 Working Solution

· Article number: SAY043

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Skin Irritation 2 Eye Irritation 2A H315 Causes skin irritation.

H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

Hydrochloric Acid

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

(Contd. on page 2)

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal

IP 501 Working Solution

(Contd. of page 1)

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compo	onents:	
CAS: 7647-01-0	Hydrochloric Acid	2.343%
CAS: 7697-37-2	Nitric Acid	0.805%
· Table of Nonhaza	rdous Ingredients	
CAS: 7732-18-5	Water	96.099%
CAS: 12007-60-2	Lithium Tetraborate, Reagent	0.36%
CAS: 87-69-4	L-Tartaric Acid	0.248%
CAS: 7789-24-4	Lithium Fluoride	0.04%
CAS: 7784-27-2	Aluminum Nitrate	0.034%
CAS: 16919-19-0	Ammonium hexafluorosilicate	0.016%
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	0.014%
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	0.011%
CAS: 7783-28-0	Ammonium Phosphate Dibasic	0.011%
CAS: 7631-99-4	Sodium Nitrate	0.009%
CAS: 1314-62-1	Vanadium Pentoxide Reagent	0.004%
CAS: 7439-89-6	Iron Metal	0.003%
		(Contd. on page 3

US ·

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal

IP 501 Working Solution

		(Contd. of page 2)
CAS: 7440-02-0	Nickel Metal	0.002%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 12007-60-2	Lithium Tetraborate, Reagent	$4.3 mg/m^3$
CAS: 87-69-4	L-Tartaric Acid	1.6 mg/m³
		ontd on nego (1)

(Contd. on page 4)

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal IP 501 Working Solution

CAS: 7789-24-4	Lithium Fluoride	(Contd. of page 10 mg/m^3
CAS: 7784-27-2	Aluminum Nitrate	83 mg/m³
CAS: 16919-19-0	Ammonium hexafluorosilicate	12 mg/m³
	Calcium Nitrate Tetrahydrate	12 mg/m³
	Zinc Nitrate, Reagent Grade	27 mg/m³
CAS: 7783-28-0	Ammonium Phosphate Dibasic	20 mg/m³
CAS: 7631-99-4	Sodium Nitrate	4.1 mg/m^3
CAS: 1314-62-1	Vanadium Pentoxide Reagent	0.64 mg/m
CAS: 7439-89-6	Iron Metal	3.2 mg/m^3
CAS: 7440-02-0	Nickel Metal	$4.5 mg/m^3$
PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 12007-60-2	Lithium Tetraborate, Reagent	47 mg/m³
CAS: 87-69-4	L-Tartaric Acid	17 mg/m³
CAS: 7789-24-4	Lithium Fluoride	110 mg/m
CAS: 7784-27-2	Aluminum Nitrate	920 mg/m
CAS: 16919-19-0	Ammonium hexafluorosilicate	130 mg/m
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	300 mg/m
CAS: 7783-28-0	Ammonium Phosphate Dibasic	39 ppm
CAS: 7631-99-4	Sodium Nitrate	45 mg/m ³
CAS: 1314-62-1	Vanadium Pentoxide Reagent	$7 mg/m^3$
CAS: 7439-89-6	Iron Metal	35 mg/m^3
CAS: 7440-02-0	Nickel Metal	50 mg/m^3
PAC-3:		-
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 12007-60-2	Lithium Tetraborate, Reagent	$280 mg/m^3$
CAS: 87-69-4	L-Tartaric Acid	100 mg/m^3
CAS: 7789-24-4	Lithium Fluoride	680 mg/m^3
CAS: 7784-27-2	Aluminum Nitrate	5,500 mg/m
CAS: 16919-19-0	Ammonium hexafluorosilicate	780 mg/m^3
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	770 mg/m^3
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	1,800 mg/m
	Ammonium Phosphate Dibasic	240 ppm
CAS: 7631-99-4	Sodium Nitrate	$\frac{270 \text{ mg/m}^3}{}$
CAS: 1314-62-1	Vanadium Pentoxide Reagent	70 mg/m^3
CAS: 7439-89-6	Iron Metal	150 mg/m^3
CAS: 7440-02-0	Nickel Metal	99 mg/m³

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal IP 501 Working Solution

(Contd. of page 4)

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m³	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm	
	A4	
CAS: 7697-37-2 Nitric Acid		
PEL	Long-term value: 5 mg/m³, 2 ppm	
REL	Short-term value: 10 mg/m³, 4 ppm	
	Long-term value: 5 mg/m³, 2 ppm	
TLV	Short-term value: (4) NIC-0.025 ppm	
	Long-term value: (2) ppm	
	NIC-A4	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal

IP 501 Working Solution

(Contd. of page 5)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical proper	ties	
· Information on basic physical and c	chemical properties	
· General Information		
· Appearance:		
Form:	Liquid	
Color:	Clear to light colored	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability:	Not applicable.	
Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

(Contd. on page 7)

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal IP 501 Working Solution

		(Contd. of page
Density at 20 °C (68 °F):	1.00543 g/cm³ (8.39031 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wo	nter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	96.1 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.8 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 373 mg/l

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 7789-24-4 Lithium Fluoride

(Contd. on page 8)

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal IP 501 Working Solution

	(Contd. of page 7)
CAS: 1314-62-1 Vanadium Pentoxide Reagent	2B
CAS: 7440-02-0 Nickel Metal	2 <i>B</i>
· NTP (National Toxicology Program)	
CAS: 7440-02-0 Nickel Metal	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
·Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	

(Contd. on page 9)

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal IP 501 Working Solution

		(Contd. of page 8)
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	Not regulated	

15 Regulatory information

· Section 355 (extremely hazardous substances):

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- \cdot Sara

CAS: /69/-3/-2	Nitric Acid
CAS: 1314-62-1	Vanadium Pentoxide Reagent
· Section 313 (Spec	cific toxic chemical listings):
CAS: 7697-37-2	Nitric Acid
CAS: 7784-27-2	Aluminum Nitrate
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade
CAS: 1314-62-1	Vanadium Pentoxide Reagent
CAS: 7440-02-0	Nickel Metal

· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVE
Nitric Acid	ACTIVE
Lithium Tetraborate, Reagent	ACTIVE
L-Tartaric Acid	ACTIVE
Lithium Fluoride	ACTIVE
Ammonium hexafluorosilicate	ACTIVE
Ammonium Phosphate Dibasic	ACTIVE
Sodium Nitrate	ACTIVE
Vanadium Pentoxide Reagent	ACTIVE
Iron Metal	ACTIVE
Nickel Metal	ACTIVE

· Hazardous Air Pollutants

CAS: 7647-01-0 Hydrochloric Acid

· Proposition 65

	· Chemicals known to cause cancer:		
	CAS: 1314-62-1	Vanadium Pentoxide Reagent	
ı	CAS: 7440-02-0	Nickel Metal	

(Contd. on page 10)

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal

IP 501 Working Solution

(Contd. of page 9)

· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

cui cinogenic cu	3-1-1-			
· EPA (Environmental Protection Agency)				
CAS: 12007-60-2	2 Lithium Tetraborate, Reagent	I (oral)		
· TLV (Threshold Limit Value)				
CAS: 7789-24-4	Lithium Fluoride	A4		
CAS: 1314-62-1	Vanadium Pentoxide Reagent	A3		
CAS: 7440-02-0	Nickel Metal	A5		
· NIOSH-Ca (National Institute for Occupational Safety and Health)				
CAS: 7440-02-0	Nickel Metal			

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07 GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

Hydrochloric Acid

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

HS

Printing date 12/30/2024 Reviewed on 12/30/2024

Trade name: 25.0 mg/L 9 Metal

IP 501 Working Solution

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

- · Date of preparation / last revision 12/30/2024 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

US