Printing date 01/06/2025 Reviewed on 01/06/2025

1 Identification

· Product identifier

· Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

· Article number: E2438

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

Canutec: 613-996-6666



2 Hazard identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids - Category 2

H225 Highly flammable liquid and vapour.



GHS08 Health hazard

Carcinogenicity - Category 1A

Reproductive Toxicity - Category 1A

Specific Target Organ Toxicity - Single Exposure -

Category 2

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H371 May cause damage to the central nervous system

and the visual organs.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Ethyl Alcohol, Absolute 200 Proof

n-Heptane

Methanol

Methyl Isobutyl Ketone (4-Methyl-2-pentanone)

· Hazard statements

Highly flammable liquid and vapour.

(Contd. on page 2)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

(Contd. of page 1)

May cause cancer.

May damage fertility or the unborn child.

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take actions to prevent static discharges.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 3
FIRE 3

Health = 3

Fire = 3

REACTIVITY 0 Reactivity = 0

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	92.904% w/w	
CAS: 67-56-1	Methanol	4.05% w/w	
CAS: 141-78-6	Ethyl Acetate	1.151% w/w	
CAS: 108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-pentanone)	1.025% w/w	
CAS: 142-82-5	n-Heptane	0.87% w/w	

CA

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

(Contd. on page 4)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

(Contd. of page 3)

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

•	• .1	1,	1	.1 .	•	•, •	1	1 1
· Components	with	limit	values	that	reamre	monitoring	at the	workniace.
Components	TT CCIC	<i>cerre</i>	rathes	uiuuu	I Cyuli C	III OILLIOI LILL	ut tite	workputet.

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

EL STEL: 1000 ppm

EV TWA: 1,900 mg/m³, 1,000 ppm

CAS: 67-56-1 Methanol

EL STEL: 250 ppm

TWA: 200 ppm

Skin

EV STEL: 325 mg/m³, 250 ppm

TWA: 260 mg/m^3 , 200 ppm

Skin

CAS: 141-78-6 Ethyl Acetate

EL TWA: 150 ppm

EV TWA: 1,440 mg/m³, 400 ppm

CAS: 108-10-1 Methyl Isobutyl Ketone (4-Methyl-2-pentanone)

EL STEL: 75 ppm

TWA: 20 ppm

IARC 2B

EV STEL: 75 ppm

TWA: 205 mg/m^3 , 50 ppm

CAS: 142-82-5 n-Heptane

EL STEL: 500 ppm

TWA: 400 ppm

EV STEL: 2.045 mg/m³, 500 ppm

TWA: 1.635 mg/m^3 , 400 ppm

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Clear
Odor: Acidic

· Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 78 °C

· Flash point: 13 °C

(Contd. on page 6)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

	(Contd. of page :
Flammability:	Highly flammable.
Auto igniting:	425 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	19 Vol %
Vapor pressure at 20 °C:	59 hPa
Density at 20 °C:	0.78166 g/cm³
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/w	ater): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:				
ATE (A	cute Toxici	y Estimate)		
Oral	LD50	2,469 mg/kg		

(Contd. on page 7)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

| Dermal | LD50 | 7,407 mg/kg | | Inhalative | LC50/4h | 69.3 mg/l | (Contd. of page 6)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)				
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	1			
CAS: 108-10-1 Methyl Isobutyl Ketone (4-Methyl-2-pentanone)	2 <i>B</i>			
· NTP (National Toxicology Program)				
None of the ingredients is listed.				

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT/TDG, ADR, IMDG, IATA UN1170

(Contd. on page 8)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

(Contd. of page 7)

· UN proper shipping name

• DOT/TDG Ethanol solutions • ADR 1170 Ethanol solutions

· IMDG ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

· IATA ETHANOL SOLUTION

· Transport hazard class(es)

· DOT/TDG (Transport dangerous goods):



· Class 3 Flammable liquids

· Label 3

· ADR, IMDG, IATA



· Class 3 Flammable liquids

· Label

· Packing group

· DOT/TDG, ADR, IMDG, IATA II

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

· Hazard identification number (Kemler code): 33

 \cdot EMS Number: F-E,S-D

· Stowage Category A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT/TDG

• Quantity limitations On passenger aircraft/rail: 5 L

On cargo aircraft only: $60\,L$

 $\cdot ADR$

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· IMDG

· Limited quantities (LQ)

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 9)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

(Contd. of page 8)

· UN ''Model Regulation'': UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol

CAS: 108-10-1 Methyl Isobutyl Ketone (4-Methyl-2-pentanone)

· TSCA (Toxic Substances Control Act):

· ISCA (Toxic Substances Control Act):	
Ethyl Alcohol, Absolute 200 Proof	ACTIVE
Methanol	ACTIVE
Ethyl Acetate	ACTIVE
Methyl Isobutyl Ketone (4-Methyl-2-pentanone)	ACTIVE
n-Heptane	ACTIVE

- · Canadian substance listings:
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

· Canadian Ingredient Disclosure list (limit 1%)

CAS: 67-56-1 *Methanol*

CAS: 141-78-6 Ethyl Acetate

CAS: 108-10-1 Methyl Isobutyl Ketone (4-Methyl-2-pentanone)

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GUSUO

- · Signal word Danger
- · Hazard-determining components of labeling:

Ethyl Alcohol, Absolute 200 Proof

n-Heptane

Methanol

Methyl Isobutyl Ketone (4-Methyl-2-pentanone)

(Contd. on page 10)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

(Contd. of page 9)

· Hazard statements

Highly flammable liquid and vapour.

May cause cancer.

May damage fertility or the unborn child.

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take actions to prevent static discharges.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of the latest revision of the safety data sheet

Revision 1.1, 01-06-2025: Reviewed SDS for accuracy. STN 01/06/2025 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

(Contd. on page 11)

Printing date 01/06/2025 Reviewed on 01/06/2025

Trade name: Ethyl Alcohol, Denatured

Anhydrous Govt. Formula III, Lab Grade

(Contd. of page 10)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

CA