Printing date 02/21/2025 Reviewed on 02/21/2025

#### 1 Identification

· Product identifier

· Trade name: Mixed Metals ICP 10.0 ppm

Stock Standard

· Article number: VEN037

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm

Stock Standard

(Contd. of page 1)

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compo	onents:	
CAS: 7697-37-2	Nitric Acid	7.529%
· Table of Nonhaza	rdous Ingredients	
CAS: 7732-18-5	Water	92.4%
CAS: 7647-01-0	Hydrochloric Acid	0.049%
CAS: 7782-61-8	Ferric Nitrate	0.007%
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	0.004%
CAS: 7631-99-4	Sodium Nitrate	0.004%
CAS: 19004-19-4	Cupric Nitrate Hydrate	0.004%
CAS: 10099-74-8	Lead Nitrate	0.002%
CAS: 7440-47-3	chromium	0.001%
CAS: 7440-66-6	Zinc Metal	0.001%

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm

Stock Standard

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- $\cdot \textit{Environmental precautions: } \textit{Dilute with plenty of water.}$
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 7782-61-8	Ferric Nitrate	22 mg/m³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	13 mg/m³
CAS: 7631-99-4	Sodium Nitrate	3.8 mg/m3
CAS: 19004-19-4	Cupric Nitrate Hydrate	42 mg/m³
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m <sup>3</sup>
CAS: 7440-47-3	chromium	1.5 mg/m <sup>3</sup>
CAS: 7440-66-6	Zinc Metal	6 mg/m³
PAC-2:		· ·
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 7782-61-8	Ferric Nitrate	110 mg/m <sup>3</sup>
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	22 mg/m³
CAS: 7631-99-4	Sodium Nitrate	42 mg/m3
CAS: 19004-19-4	Cupric Nitrate Hydrate	150 mg/m <sup>2</sup>
	Lead Nitrate	180 mg/m <sup>-</sup>

110

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm Stock Standard

		(Contd. of page 3)
CAS: 7440-47-3	chromium	$17 \text{ mg/m}^3$
CAS: 7440-66-6	Zinc Metal	40 mg/m3
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 7782-61-8	Ferric Nitrate	640 mg/m³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	740 mg/m³
CAS: 7631-99-4	Sodium Nitrate	250 mg/m3
CAS: 19004-19-4	Cupric Nitrate Hydrate	240 mg/m³
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m³
CAS: 7440-47-3	chromium	99 mg/m³
CAS: 7440-66-6	Zinc Metal	240 mg/m3

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that	require monitoring at the workplace:
CAS: 7697-37-2 Nitric Acid	

PEL Long-term value: 5 mg/m³, 2 ppm
REL Short-term value: 10 mg/m³, 4 ppm
Long-term value: 5 mg/m³, 2 ppm
TLV Short-term value: (4) NIC-0.025 ppm

Long-term value: (4) NIC-0.023 ppr Long-term value: (2) ppm

NIC-A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm

Stock Standard

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

· Ignition temperature:



Tightly sealed goggles

· Body protection: Protective work clothing

#### 9 Physical and chemical properties

· Information on basic physical and o · General Information	chemical properties
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability:	Not applicable.
· Decomposition temperature:	Not determined.

Product is not selfigniting.

(Contd. on page 6)

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm

Stock Standard

		(Contd. of page
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.02327 g/cm³ (8.53919 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	92.4 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 39.8 mg/l

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

(Contd. on page 7)

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm Stock Standard

(Contd. of page 6)

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 10099-74-8   Lead Nitrate	2A
CAS: 7440-47-3   chromium	3
· NTP (National Toxicology Program)	
CAS: 10099-74-8 Lead Nitrate	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textbf{\it Bioaccumulative potential \it No further relevant information available.}$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN3264

(Contd. on page 8)

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm Stock Standard

	(Contd. of page
· UN proper shipping name · DOT · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitri Acid)
· Transport hazard class(es)	
· DOT	
· Class · Label	8 Corrosive substances 8
· IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Segregation groups</li> <li>Stowage Category</li> <li>Stowage Code</li> <li>Segregation Code</li> </ul>	Warning: Corrosive substances 80 F-A,S-B (SGG1) Acids B SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, II

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm Stock Standard

(Contd. of page 8)

	ormation environmental regulations/legislation specific for the substance or mix t information available.	cture
~ ***	mely hazardous substances):	
CAS: 7697-37-2 N	•	
	ific toxic chemical listings): Nitric Acid	
	Ferric Nitrate	
CAS: 7/82-01-8 CAS: 10099-74-8		
	chromium	
	Zinc Metal	
,	stances Control Act):	ACTIVI
Water Nitric Acid		ACTIVI ACTIVI
Nitric Acia Hydrochloric Acid		
Sodium Nitrate		ACTIVE ACTIVE
Lead Nitrate		ACTIVE
chromium		ACTIVE
Zinc Metal		ACTIVE
	п	ACTIVI
· Hazardous Air Po		
	Hydrochloric Acid	
CAS: 10099-74-8	Leaa Nitrate	
· Proposition 65 · Chemicals known	to cause causes	
CAS: 10099-74-8		
	to cause reproductive toxicity for females:	
None of the ingred		
	to cause reproductive toxicity for males:	
None of the ingred	ients is listed.	
· Chemicals known	to cause developmental toxicity:	
None of the ingred	ients is listed.	
· Carcinogenic cate	gories	
	tal Protection Agency)	
CAS: 10099-74-8	* *:	B2
	chromium	D
	Zinc Metal	D, I, I
CAS: 7440-66-6		
	imit Value)	
CAS: 7440-66-6  • TLV (Threshold L CAS: 10099-74-8		A3

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm Stock Standard

(Contd. of page 9)

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

#### · Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 0.0, 02-21-2025: Creation date for SDS CMC/STN 02/21/2025 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

Printing date 02/21/2025 Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 10.0 ppm Stock Standard

(Contd. of page 10)

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1

HC.