Printing date 06/07/2024

*

Reviewed on 06/03/2024

Product identifier		
Trade name: <u>Crystal Vi</u> 1% w/v in	iolet Indicator Acetic Acid	
Article number: 2562		
Details of the supplier o	of the safety data sheet	
Manufacturer/Supplier.	•	
Aqua Solutions, Inc. 6913 Highway 225		SOLUTIONS
DEER PARK, TX 77536		OCECTIONS
USA		
800-256-2586		
Information departmen	t:	
Technical Coordinator	ma aquanalutiona ana	
Sherman Nelson sherma Emergency telephone n		
Chemtrec: 800-424-930		
Canutec: 613-996-6666		
TT 1/ \ • 1 /• (•		
Hazard(s) identifica	ition	
Classification of the sul	bstance or mixture	
	e	
GHS02 Flame		
GHS02 Flame		
	H226 Flammable liquid and vapor.	
	H226 Flammable liquid and vapor.	
Flammable Liquids 3		
Flammable Liquids 3		
Flammable Liquids 3	h hazard	
Flammable Liquids 3	h hazard H351 Suspected of causing cancer.	
Flammable Liquids 3 GHS08 Healt Carcinogenicity 2	h hazard H351 Suspected of causing cancer.	
Flammable Liquids 3 GHS08 Healt Carcinogenicity 2	h hazard H351 Suspected of causing cancer.	eye damage.
Flammable Liquids 3 GHS08 Healt Carcinogenicity 2 GHS05 Corro	h hazard H351 Suspected of causing cancer. osion	eye damage.
Flammable Liquids 3 GHS08 Healt Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A	h hazard H351 Suspected of causing cancer. Dision H314 Causes severe skin burns and o	eye damage.
Flammable Liquids 3 GHS08 Healt Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A	h hazard H351 Suspected of causing cancer. Dision H314 Causes severe skin burns and o	eye damage.
Flammable Liquids 3 GHS08 Healt Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A Eye Damage 1	h hazard H351 Suspected of causing cancer. Dision H314 Causes severe skin burns and o	eye damage.
Flammable Liquids 3 GHS08 Healt Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07	h hazard H351 Suspected of causing cancer. Dision H314 Causes severe skin burns and o	eye damage.
Flammable Liquids 3 GHS08 Healt Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07	h hazard H351 Suspected of causing cancer. Dision H314 Causes severe skin burns and o H318 Causes serious eye damage.	

Printing date 06/07/2024

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid



Printing date 06/07/2024

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

(Contd. of page 2)

99.0%

1.0%

· HMIS-ratings (scale 0 - 4)

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64-19-7 Acetic Acid, Glacial

CAS: 548-62-9 Crystal Violet (Gentian Violet) C.I. 42555

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 06/07/2024

*

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

(Contd. of page 3)

· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
CAS: 64-19-7 Acetic Acid, Glacial	5 pp
· PAC-2:	
CAS: 64-19-7 Acetic Acid, Glacial	35 pp
· PAC-3:	
CAS: 64-19-7 Acetic Acid, Glacial	250 pp

7 Handling and storage

• Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

 $(Contd. \ on \ page \ 5)$

[–] US

Printing date 06/07/2024

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

	(Contd. of page 4)
· Com	trol parameters ponents with limit values that require monitoring at the workplace:
	following constituent is the only constituent of the product which has a PEL, TLV or other recommended
	sure limit.
	is time, the remaining constituent has no known exposure limits.
	: 64-19-7 Acetic Acid, Glacial
PEL	Long-term value: 25 mg/m ³ , 10 ppm
REL	Short-term value: 37 mg/m ³ , 15 ppm
	Long-term value: 25 mg/m ³ , 10 ppm
TLV	Short-term value: 15 ppm
	Long-term value: 10 ppm
Add	itional information: The lists that were valid during the creation were used as basis.
	•
	osure controls onal protective equipment:
	eral protective equipment. eral protective and hygienic measures:
	o away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	d contact with the eyes.
Avoi	d contact with the eyes and skin.
	thing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
	iratory protective device that is independent of circulating air.
Prot	ection of hands:
111	Protective gloves
	Thecave gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	nical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
	es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove material can not be calculated in advance and has therefore to be checked prior to the application.
	nove material can not be calculated in davance and has inerejore to be checked prior to the application. etration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to be
	rved.
	protection:
(Ç	Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

US

Printing date 06/07/2024

*

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

(Contd. of page 5)

Information on basic physical and cl	nemical properties
General Information	
Appearance:	
Form:	Fluid
Color:	According to product specification
Odor: Odor threshold:	Characteristic Not determined.
	Not determined.
pH-value:	Noi determinea.
Change in condition	16.6 °C (61.0 °E)
Melting point/Melting range: Boiling point/Boiling range:	16.6 °C (61.9 °F) 118 °C (244.4 °F)
Flash point:	39 °C (102.2 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	485 °C (905 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	17 Vol %
Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)
Density at 20 °C (68 °F):	1.05 g/cm ³ (8.76225 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	99.0 %
VOC content:	99.00 %
	1,039.5 g/l / 8.68 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

(Contd. on page 7)

Printing date 06/07/2024

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 50,000 mg/kg

Dermal LD50 1,071 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

CAS: 548-62-9 Crystal Violet (Gentian Violet) C.I. 42555 2. · NTP (National Toxicology Program) 2.			
· NTP (National Toxicology Program)	2B		
None of the ingredients is listed.			
· OSHA-Ca (Occupational Safety & Health Administration)			

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 8)

US

Printing date 06/07/2024

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

(Contd. of page 7)

 \cdot Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN2920
UN proper shipping name DOT	Corrosive liquids, flammable, n.o.s. (Acetic Acid, Glacial
IMDG, IATA	, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Acetic Act Glacial)
Transport hazard class(es)	
DOT	
Class	8 Corrosive substances
Label	8, 3
IMDG	

Printing date 06/07/2024

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

	(Contd. of page
Label	8/3
IATA	
Class	8 Corrosive substances
Label	8 (3)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-C
Segregation groups	(SGG1) Acids
Stowage Category	E
Stowage Code	SW1 Protected from sources of heat.
	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
2	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ACETI
0	ACID, GLACIAL
), 8 (3), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Acetic Acid, Glacial

ACTIVE (Contd. on page 10)

US

Printing date 06/07/2024

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

(Contd. of page 9)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

\cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Acetic Acid, Glacial Crystal Violet (Gentian Violet) C.I. 42555 · Hazard statements Flammable liquid and vapor. Harmful in contact with skin. *Causes severe skin burns and eye damage.* May cause an allergic skin reaction. Suspected of causing cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling.

(Contd. on page 11)

⁻ US

Printing date 06/07/2024

Reviewed on 06/03/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

(Contd. of page 10)
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· National regulations:
· Additional classification according to Decree on Hazardous Materials:
Carcinogenic hazardous material group III (dangerous).

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- Contact: Date of Preparation / Last Revision:
 Date of preparation / last revision Revision 1.2, 06/07/2024: Reviewed SDS for accuracy. MH/STN
 - 06/07/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Dermal 4: Acute toxicity - Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1

(Contd. on page 12)

Printing date 06/07/2024

Trade name: Crystal Violet Indicator 1% w/v in Acetic Acid

(Contd. of page 11)

US

Reviewed on 06/03/2024

Carcinogenicity 2: Carcinogenicity – Category 2 • * Data compared to the previous version altered.