Reviewed on 07/25/2024 Printing date 07/25/2024

1 Identification

· Product identifier

Trade name: Sulfate Standard 100 ppm

Aqueous Solution, ASTM D516-16

· Article number: EOP068

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

Printing date 07/25/2024 Reviewed on 07/25/2024

Trade name: Sulfate Standard 100 ppm

Aqueous Solution, ASTM D516-16

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Not Applicable

· Table of No	nhazardous Ingredients	
CAS: 7732-	8-5 Water	99.985%
CAS: 7757-	2-6 Sodium Sulfate Anhydrous	0.015%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7757-82-6 Sodium Sulfate Anhydrous	9.8 mg/m^3
· PAC-2:	
CAS: 7757-82-6 Sodium Sulfate Anhydrous	110 mg/m^3
	(Contd. on page 3)

Printing date 07/25/2024 Reviewed on 07/25/2024

Trade name: Sulfate Standard 100 ppm

Aqueous Solution, ASTM D516-16

(Contd. of page 2)

· PAC-3:

CAS: 7757-82-6 Sodium Sulfate Anhydrous

 650 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Goggles recommended during refilling.

(Contd. on page 4)

Printing date 07/25/2024 Reviewed on 07/25/2024

Trade name: Sulfate Standard 100 ppm Aqueous Solution, ASTM D516-16

· Body protection: Protective work clothing

(Contd. of page 3)

Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Not determined. Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Water: 100.0 % 0.00 g/l / 0.00 lb/gate.	
General Information Appearance: Form: Color: Odor: Odor threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (32 °F) Boiling point/Boiling range: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F) Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Not determined. Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Not determined.	
Appearance: Form: Color: Odor: Odor: Odor threshold: Not determined. PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (32 °F) Boiling point/Boiling range: Not applicable. Flash point: Not applicable. Pecomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F) Density at 20 °C (68 °F): Relative density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Viscosity: Dynamic: Not determined.	
Form: Color: Clear Odor: Odorless Odor threshold: Not determined. pH-value: Not determined. Change in condition Melting point/Melting range: 100 °C (32 °F) Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit not selfit not selfit not selfit not determined. Lower: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Ferential not determined. Vapor density Not determined.	
Color: Odor: Odor threshold: PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (32 °F) Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F) Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined.	
Odor: Odor threshold: PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (32 °F) Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F) Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined.	
Odor threshold: pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Boiling point/Boiling range: Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Poensity at 20 °C (68 °F): Relative density Vapor density Vapor density Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Kinematic: Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Boiling point/Boiling range: Boiling point/Boiling range: Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Upper: Not determined. Not determined. Not determined. Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Not determined. Viscosity: Dynamic: Kinematic: Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Not determined. Vapor pressure at 20 °C (68 °F): Pensity at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined.	
Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Upper: Not determined. Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F) Density at 20 °C (68 °F): Relative density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined.	
Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Not determined. Not determined. Not determined. Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Water: 100.0 % 0.00 % 0.00 g/l / 0.00 lb/gate.	
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Not determined. Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Poensity at 20 °C (68 °F): Relative density Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Not determined. Solvent: Not determined.	
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfit Danger of explosion: Explosion limits: Lower: Upper: Not determined. Not determined. Vapor pressure at 20 °C (68 °F): Pensity at 20 °C (68 °F): Relative density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined.	
Decomposition temperature: Ignition temperature: Product is not selfit product does not perform the perform the perform to selfit product does not perform the perform the perform the performance product does not perform the performance performance product does not perform the performance per	
Ignition temperature: Product is not selfit Danger of explosion: Product does not p Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm H Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Solvent content: Not determined. Solvent content: Water: 100.0 % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gate.	
Danger of explosion: Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Relative density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: Water: 100.0 % 0.00 g/l / 0.00 lb/gate.	
Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Not determined. Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Water: 100.0 % 0.00 g/l / 0.00 lb/gate.	figniting.
Lower: Not determined. Not determined. Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F) Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Relative density Not determined. Not determined. Not determined. Not determined. Evaporation rate Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Not determined. Not determined. Solvent content: Not determined. Solvent content: Vater: 100.0 % 0.00 % 0.00 g/l / 0.00 lb/gate.	present an explosion hazard.
Lower: Not determined. Not determined. Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F) Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Relative density Not determined. Not determined. Not determined. Not determined. Evaporation rate Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Not determined. Not determined. Solvent content: Not determined. Solvent content: Vater: 100.0 % 0.00 % 0.00 g/l / 0.00 lb/gate.	
Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm F) Density at 20 °C (68 °F): 1.0001 g/cm³ (8.34 Relative density Not determined. Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Kinematic: Not determined. Solvent content: Water: 100.0 % VOC content: 0.00 %/ 0.00 g/l / 0.00 lb/gate.	
Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: Water: 100.0 % 0.00 g/l / 0.00 lb/gate.	
Density at 20 °C (68 °F): Relative density Vapor density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Not determined. Not determined. Solvent content: Water: 100.0 % VOC content: 0.00 g/l / 0.00 lb/gate.	Hg)
Relative density Vapor density Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Not determined. Solvent content: Water: 100.0 % VOC content: 0.0 g/l / 0.00 lb/gate	<u> </u>
Vapor density Evaporation rate Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Not determined. Solvent content: Water: 100.0 % 0.00 % 0.0 g/l / 0.00 lb/gate.	4383 (DS/gai)
Evaporation rate Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Water: 100.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gate.	
Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Water: 100.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gate.	
Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Water: 100.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gate.	
Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Water: 100.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gate.	
Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 100.0 % Water: 100.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gat	
Dynamic: Not determined. Kinematic: Not determined. Solvent content: 100.0 % Water: 100.0 % VOC content: 0.0 g/l / 0.00 lb/gate	
Dynamic: Not determined. Kinematic: Not determined. Solvent content: 100.0 % Water: 100.0 % VOC content: 0.0 g/l / 0.00 lb/gate	
Kinematic: Not determined. Solvent content: 100.0 % Water: 100.0 % VOC content: 0.00 g/l / 0.00 lb/gate	
Water: 100.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gat	
Water: 100.0 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gat	
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gat	
0.0 g/l / 0.00 lb/ga	
	nl
Solids content: 0.0 %	
Other information No further relevant	nt information available.

Printing date 07/25/2024 Reviewed on 07/25/2024

Trade name: Sulfate Standard 100 ppm

Aqueous Solution, ASTM D516-16

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

Printing date 07/25/2024 Reviewed on 07/25/2024

Trade name: Sulfate Standard 100 ppm

Aqueous Solution, ASTM D516-16

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name		
DOT, ADN, IATA	Not regulated	
IMDG	Not Regulated	
	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not regulated	
Packing group		
DOT, IMDG, IATA	Not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	: II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Remarks:	Not regulated	
IMDG		
Remarks:	Not regulated	
IATA		
Remarks:	Not regulated	
UN "Model Regulation":	Not regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

Printing date 07/25/2024 Reviewed on 07/25/2024

Trade name: Sulfate Standard 100 ppm

Aqueous Solution, ASTM D516-16

(Contd. of page 6)

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water ACTIVE
Sodium Sulfate Anhydrous ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

Date of preparation / last revision

Revision 1.2, 07-25-2024: Reviewed SDS for accuracy. STN/GW 07/25/2024 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

Printing date 07/25/2024 Reviewed on 07/25/2024

Trade name: Sulfate Standard 100 ppm Aqueous Solution, ASTM D516-16

(Contd. of page 7)

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

^{*} Data compared to the previous version altered.