Printing date 08/19/2024

Reviewed on 08/19/2024

Identification	
Product identifier	
Trade name: <u>Silver Nitrate 0.1 Normal</u> in Isopropanol	
Article number: ERL125	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
Flammable Liquids 2	
GHS07	H225 Highly flammable liquid and vapor.
GHS07	
GHS07 Skin Irritation 2	H315 Causes skin irritation.
GHS07	H315 Causes skin irritation. H319 Causes serious eye irritation.
Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure Label elements GHS label elements The product is classified an Hazard pictograms	H315 Causes skin irritation. H319 Causes serious eye irritation.
<i>Skin Irritation 2</i> <i>Eye Irritation 2A</i> <i>Specific Target Organ Toxicity - Single Exposure</i> <i>Label elements</i> <i>GHS label elements The product is classified an</i>	H315 Causes skin irritation. H319 Causes serious eye irritation. e 3 H336 May cause drowsiness or dizziness.
Skin Irritation 2 Eye Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure Label elements GHS label elements The product is classified an Hazard pictograms \widetilde{O}_{GHS02} \widetilde{O}_{GHS07} Signal word Danger Hazard-determining components of labeling: Isopropanol Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation.	H315 Causes skin irritation. H319 Causes serious eye irritation. e 3 H336 May cause drowsiness or dizziness.
Skin Irritation 2 Eye Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure Label elements GHS label elements The product is classified an Hazard pictograms \widetilde{O} \widetilde{O} \widetilde{O} \widetilde{O} GHS02 \widetilde{O} GHS07 Signal word Danger Hazard-determining components of labeling: Isopropanol Hazard statements Highly flammable liquid and vapor. Causes skin irritation.	H315 Causes skin irritation. H319 Causes serious eye irritation. e 3 H336 May cause drowsiness or dizziness.

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

(Contd. of	page 1)
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy	to do.
Continue rinsing.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
11111111115 (seure 0 - 4)	
Health = 2	
Fire = 3	
2×0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH *2 $Health = *2$	
FIRE 3 $Fire = 3$	
REACTIVITY \bigcirc <i>Reactivity</i> = 0	

• Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

• Chemical characterization: Mixtu	res
------------------------------------	-----

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-63-0 Isopropanol	88.116%		
CAS: 7761-88-8 Silver Nitrate	2.082%		
	(Contd. on page 3)		

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

(Contd. of page 2)

9.803%

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

ipment. Keep unprotected persons away. c autions: ct to reach sewage system or any water course. uthorities in case of seepage into water course or sewage system.	
ct to reach sewage system or any water course.	
f water.	
<i>ial for containment and cleaning up:</i> binding material (sand, diatomite, acid binders, universal binders, sawdust). ed material as waste according to section 13. ntilation. sections formation on safe handling. formation on personal protection equipment. lisposal information.	
riteria for Chemicals	
opropanol	400 ppm
lver Nitrate	0.047 mg/m ³
	binding material (sand, diatomite, acid binders, universal binders, sawdust). ed material as waste according to section 13. ntilation. sections formation on safe handling. formation on personal protection equipment. fisposal information. riteria for Chemicals

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

			(C	Contd. of page 3)	
	· PAC-2:				
	CAS: 67-63-0	Isopropanol		2000* ppm	
	CAS: 7761-88-8	Silver Nitrate		0.9 mg/m ³	
	· PAC-3:				
Γ	CAS: 67-63-0	Isopropanol	12	2000** ppm	
	CAS: 7761-88-8	Silver Nitrate	5.	4 mg/m ³	

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS	S: 67-63-0 Isopropanol			
PEL	Long-term value: 980 mg/m ³ , 400 ppm			
REL	Short-term value: 1225 mg/m ³ , 500 ppm			
<i></i>	Long-term value: 980 mg/m^3 , 400 ppm			
TLV	Short-term value: 400 ppm Long-term value: 200 ppm			
	BEI, A4			
Ingredients with biological limit values:				
CAS	S: 67-63-0 Isopropanol			
BEI	40 mg/L			
	LD50 Intraperitoneal: urine			
	Time: end of shift at end of workweek			
	LD50: Acetone (background, nonspecific)			
	(Contd. on page 5			

(Contd. of page 4)

(Contd. on page 6)

US

Safety Data Sheet acc. to OSHA HCS

• Additional information: The lists that were valid during the creation were used as basis.

Printing date 08/19/2024

· Flash point:

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

· Exposure controls · Personal protective equipment: • General protective and hygienic measures: *Keep away from foodstuffs, beverages and feed.* Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles · **Body protection:** Protective work clothing 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Clear IPA · Odor: · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. *Boiling point/Boiling range:* 82 °C (179.6 °F)

13 °C (55.4 °F)

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name:	Silver Nitrate 0.1 No	ormal
	in Isopropanol	

	(Contd. of page 5
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.88028 g/cm³ (7.34594 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	88.1 %
Water:	9.8 %
VOC content:	88.12 %
	775.7 g/l / 6.47 lb/gal
Solids content:	2.1 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- *Possibility of hazardous reactions* No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

(Contd. of page 6)

3

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 2,402 mg/kg (mouse)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

(Contd. of page 7)

· Uncleaned packagings:

Printing date 08/19/2024

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (Isopropanol
)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Isopropanol
)
Transport hazard class(es)	
DOT	
FLAMMABLE LIQUD	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
A	
Class Label	3 Flammable liquids 3
	II
DOT, IMDG, IATA	Not applicable
DOT, IMDG, IATA Environmental hazards:	Not applicable.
DOT, IMDG, IATA Environmental hazards: Special precautions for user	Warning: Flammable liquids
DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler c	Warning: Flammable liquids
DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler c EMS Number:	Warning: Flammable liquids ode): 33
DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler c EMS Number: Stowage Category	Warning: Flammable liquids rode): 33 F-E, <u>S-E</u> B
Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler c EMS Number: Stowage Category Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	Warning: Flammable liquids rode): 33 F-E, <u>S-E</u> B

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

— US

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

Sara Section 355 (ext	remely hazardous substances):	
None of the ingr	•	
<i>CAS: 67-63-0</i>	ecific toxic chemical listings): Isopropanol	
CAS: 07-03-0 CAS: 7761-88-8	* *	
	1	
	bstances Control Act):	
Isopropanol		ACTIV
Water		ACTIV
Silver Nitrate		ACTIV
Hazardous Air I		
None of the ingr	edients is listed.	
Proposition 65		
	vn to cause cancer:	
None of the ingr	edients is listed.	
Chemicals know	n to cause reproductive toxicity for females:	
None of the ingr	edients is listed.	
Chemicals know	n to cause reproductive toxicity for males:	
None of the ingr	edients is listed.	
Chemicals know	n to cause developmental toxicity:	
None of the ingr	edients is listed.	
Carcinogenic ca	tegories	
EPA (Environm	ental Protection Agency)	
None of the inor	edients is listed.	
None of the there	Limit Value)	
TLV (Threshold		A
	sopropanol	
TLV (Threshold CAS: 67-63-0 Is	copropanol tional Institute for Occupational Safety and Health)	I



· Signal word Danger

Hazard-determining components of labeling: Isopropanol
Hazard statements Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

(Contd. on page 10)

US

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

	Contd. of page 9)
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present an	nd easv to do.
Continue rinsing.	,
<i>Call a poison center/doctor if you feel unwell.</i>	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 08-19-2024: Reviewed SDS for accuracy. STN/GW 08/19/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

(Contd. on page 11)

Printing date 08/19/2024

Reviewed on 08/19/2024

Trade name: Silver Nitrate 0.1 Normal in Isopropanol

(Contd. of page 10)

US

Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 • * **Data compared to the previous version altered.**