

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

1 Identification

- **Product identifier**
- **Trade name:** Quality Control Standard
#21
- **Article number:** M8905
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Nitric Acid
Hydrofluoric Acid 49-51% Aqueous Solution
- **Hazard statements**
Harmful if swallowed.
Causes severe skin burns and eye damage.
- **Precautionary statements**
Do not breathe dusts or mists.
Wash thoroughly after handling.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 1)

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7697-37-2	Nitric Acid	5.0%
----------------	-------------	------

· **Table of Nonhazardous Ingredients**

CAS: 87-69-4	L-Tartaric Acid	0.5%
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	0.5%
CAS: 7439-93-2	lithium	0.01%
CAS: 7440-62-2	vanadium	0.01%
CAS: 7782-49-2	selenium	0.01%
CAS: 7440-43-9	cadmium Metal	0.01%
CAS: 7440-41-7	beryllium	0.01%
CAS: 7440-24-6	strontium	0.01%
CAS: 7440-48-4	cobalt	0.01%
CAS: 7440-47-3	chromium	0.01%
CAS: 7439-89-6	Iron Metal	0.01%

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 2)

CAS: 7440-38-2	arsenic	0.01%
CAS: 7440-50-8	copper	0.01%
CAS: 7439-92-1	Lead Shot #8	0.01%
CAS: 7440-32-6	Titanium Metal	0.01%
CAS: 7440-02-0	Nickel Metal	0.01%
CAS: 7439-96-5	manganese	0.01%
CAS: 7440-66-6	Zinc Metal	0.01%
CAS: 7440-28-0	thallium	0.01%
CAS: 7439-98-7	Molybdenum Metal, 99.8%	0.01%
CAS: 7439-95-4	Magnesium	0.01%
CAS: 7440-36-0	Antimony Metal	0.01%
CAS: 7440-70-2	Calcium Metal	0.01%
CAS: 7732-18-5	Water	93.79%

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 3)

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 87-69-4	L-Tartaric Acid	1.6 mg/m ³
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	1.0 ppm
CAS: 7439-93-2	lithium	3.3 mg/m ³
CAS: 7440-62-2	vanadium	3 mg/m ³
CAS: 7782-49-2	selenium	0.6 mg/m ³
CAS: 7440-43-9	cadmium Metal	0.10 mg/m ³
CAS: 7440-41-7	beryllium	0.0023 mg/m ³
CAS: 7440-24-6	strontium	30 mg/m ³
CAS: 7440-48-4	cobalt	0.18 mg/m ³
CAS: 7440-47-3	chromium	1.5 mg/m ³
CAS: 7439-89-6	Iron Metal	3.2 mg/m ³
CAS: 7440-38-2	arsenic	1.5 mg/m ³
CAS: 7440-50-8	copper	3 mg/m ³
CAS: 7439-92-1	Lead Shot #8	0.15 mg/m ³
CAS: 7440-32-6	Titanium Metal	30 mg/m ³
CAS: 7440-02-0	Nickel Metal	4.5 mg/m ³
CAS: 7439-96-5	manganese	3 mg/m ³
CAS: 7440-66-6	Zinc Metal	6 mg/m ³
CAS: 7440-28-0	thallium	0.06 mg/m ³
CAS: 7439-98-7	Molybdenum Metal, 99.8%	30 mg/m ³
CAS: 7439-95-4	Magnesium	18 mg/m ³
CAS: 7440-36-0	Antimony Metal	1.5 mg/m ³

· **PAC-2:**

CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 87-69-4	L-Tartaric Acid	17 mg/m ³
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	24 ppm
CAS: 7439-93-2	lithium	36 mg/m ³
CAS: 7440-62-2	vanadium	5.8 mg/m ³
CAS: 7782-49-2	selenium	6.6 mg/m ³
CAS: 7440-43-9	cadmium Metal	0.76 mg/m ³
CAS: 7440-41-7	beryllium	0.025 mg/m ³
CAS: 7440-24-6	strontium	330 mg/m ³

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

		(Contd. of page 4)
CAS: 7440-48-4	<i>cobalt</i>	2 mg/m ³
CAS: 7440-47-3	<i>chromium</i>	17 mg/m ³
CAS: 7439-89-6	<i>Iron Metal</i>	35 mg/m ³
CAS: 7440-38-2	<i>arsenic</i>	17 mg/m ³
CAS: 7440-50-8	<i>copper</i>	33 mg/m ³
CAS: 7439-92-1	<i>Lead Shot #8</i>	120 mg/m ³
CAS: 7440-32-6	<i>Titanium Metal</i>	330 mg/m ³
CAS: 7440-02-0	<i>Nickel Metal</i>	50 mg/m ³
CAS: 7439-96-5	<i>manganese</i>	5 mg/m ³
CAS: 7440-66-6	<i>Zinc Metal</i>	21 mg/m ³
CAS: 7440-28-0	<i>thallium</i>	3.3 mg/m ³
CAS: 7439-98-7	<i>Molybdenum Metal, 99.8%</i>	330 mg/m ³
CAS: 7439-95-4	<i>Magnesium</i>	200 mg/m ³
CAS: 7440-36-0	<i>Antimony Metal</i>	13 mg/m ³
· PAC-3:		
CAS: 7697-37-2	<i>Nitric Acid</i>	92 ppm
CAS: 87-69-4	<i>L-Tartaric Acid</i>	100 mg/m ³
CAS: 7664-39-3	<i>Hydrofluoric Acid 49-51% Aqueous Solution</i>	44 ppm
CAS: 7439-93-2	<i>lithium</i>	220 mg/m ³
CAS: 7440-62-2	<i>vanadium</i>	35 mg/m ³
CAS: 7782-49-2	<i>selenium</i>	40 mg/m ³
CAS: 7440-43-9	<i>cadmium Metal</i>	4.7 mg/m ³
CAS: 7440-41-7	<i>beryllium</i>	0.1 mg/m ³
CAS: 7440-24-6	<i>strontium</i>	2,000 mg/m ³
CAS: 7440-48-4	<i>cobalt</i>	20 mg/m ³
CAS: 7440-47-3	<i>chromium</i>	99 mg/m ³
CAS: 7439-89-6	<i>Iron Metal</i>	150 mg/m ³
CAS: 7440-38-2	<i>arsenic</i>	100 mg/m ³
CAS: 7440-50-8	<i>copper</i>	200 mg/m ³
CAS: 7439-92-1	<i>Lead Shot #8</i>	700 mg/m ³
CAS: 7440-32-6	<i>Titanium Metal</i>	2,000 mg/m ³
CAS: 7440-02-0	<i>Nickel Metal</i>	99 mg/m ³
CAS: 7439-96-5	<i>manganese</i>	1,800 mg/m ³
CAS: 7440-66-6	<i>Zinc Metal</i>	120 mg/m ³
CAS: 7440-28-0	<i>thallium</i>	20 mg/m ³
CAS: 7439-98-7	<i>Molybdenum Metal, 99.8%</i>	2,000 mg/m ³
CAS: 7439-95-4	<i>Magnesium</i>	1,200 mg/m ³
CAS: 7440-36-0	<i>Antimony Metal</i>	80 mg/m ³

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 5)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

CAS: 7697-37-2 Nitric Acid

PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 6)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Color:	Grey, blue or green
Odor:	Odorless
Odor threshold:	Not determined.

- **pH-value at 20 °C (68 °F):** <2

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	83 °C (181.4 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:**

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

- **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

- **Density at 20 °C (68 °F):** 1.02796 g/cm³ (8.57833 lbs/gal)

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

Water:	Fully miscible.
---------------	-----------------

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 7)

· Solvent content:

Water: 93.8 %
VOC content: 0.00 %
 0.0 g/l / 0.00 lb/gl

· Solids content:

0.7 %

· Other information

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	1,000 mg/kg
Dermal	LD50	1,000 mg/kg
Inhalative	LC50/4 h	255,200 mg/l (rat)

CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution

Oral	LD50	mg/kg (rat)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50/4 h	1,276 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Corrosive
Irritant
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 8)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 7782-49-2	selenium	3
CAS: 7440-43-9	cadmium Metal	1
CAS: 7440-41-7	beryllium	1
CAS: 7440-48-4	cobalt	2B
CAS: 7440-47-3	chromium	3
CAS: 7440-38-2	arsenic	1
CAS: 7439-92-1	Lead Shot #8	2B
CAS: 7440-02-0	Nickel Metal	2B

· **NTP (National Toxicology Program)**

CAS: 7440-43-9	cadmium Metal	K
CAS: 7440-41-7	beryllium	K
CAS: 7440-48-4	cobalt	R
CAS: 7440-38-2	arsenic	K
CAS: 7439-92-1	Lead Shot #8	R
CAS: 7440-02-0	Nickel Metal	R

· **OSHA-Ca (Occupational Safety & Health Administration)**

CAS: 7440-43-9	cadmium Metal
CAS: 7440-38-2	arsenic

12 Ecological information

· **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

US

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017



Trade name: **Quality Control Standard**
#21

(Contd. of page 9)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|---|
| · UN-Number | |
| · DOT, IMDG, IATA | UN1760 |
| · UN proper shipping name | |
| · DOT | Corrosive liquids, n.o.s. (Nitric acid) |
| · IMDG, IATA | CORROSIVE LIQUID, N.O.S. (NITRIC ACID) |
| · Transport hazard class(es) | |
| · DOT | |
| |  |
| · Class | 8 Corrosive substances |
| · Label | 8 |
| · IMDG, IATA | |
| |  |
| · Class | 8 Corrosive substances |
| · Label | 8 |
| · Packing group | |
| · DOT, IMDG, IATA | III |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Corrosive substances |
| · Danger code (Kemler): | 86 |
| · EMS Number: | F-A,S-B |
| · Segregation groups | Acids |
| · Stowage Category | A |
| · Stowage Code | SW2 Clear of living quarters. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

(Contd. on page 11)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 10)

· Transport/Additional information:

· DOT

· Quantity limitations

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· IMDG

· Limited quantities (LQ)

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 1760 CORROSIVE LIQUIDS, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 Nitric Acid

CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution

CAS: 7440-62-2 vanadium

CAS: 7782-49-2 selenium

CAS: 7440-43-9 cadmium Metal

CAS: 7440-41-7 beryllium

CAS: 7440-48-4 cobalt

CAS: 7440-47-3 chromium

CAS: 7440-38-2 arsenic

CAS: 7440-50-8 copper

CAS: 7439-92-1 Lead Shot #8

CAS: 7440-02-0 Nickel Metal

CAS: 7439-96-5 manganese

CAS: 7440-66-6 Zinc Metal

CAS: 7440-28-0 thallium

CAS: 7440-36-0 Antimony Metal

· TSCA (Toxic Substances Control Act):

Nitric Acid

L-Tartaric Acid

Hydrofluoric Acid 49-51% Aqueous Solution

lithium

vanadium

selenium

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 11)

<i>cadmium Metal</i>
<i>beryllium</i>
<i>strontium</i>
<i>cobalt</i>
<i>chromium</i>
<i>Iron Metal</i>
<i>arsenic</i>
<i>copper</i>
<i>Lead Shot #8</i>
<i>Titanium Metal</i>
<i>Nickel Metal</i>
<i>manganese</i>
<i>Zinc Metal</i>
<i>thallium</i>
<i>Molybdenum Metal, 99.8%</i>
<i>Magnesium</i>
<i>Antimony Metal</i>
<i>Calcium Metal</i>
<i>Water</i>

- **TSCA new (21st Century Act) (Substances not listed)**
- **Proposition 65**

· **Chemicals known to cause cancer:**

CAS: 7440-43-9	<i>cadmium Metal</i>
CAS: 7440-41-7	<i>beryllium</i>
CAS: 7440-48-4	<i>cobalt</i>
CAS: 7440-38-2	<i>arsenic</i>
CAS: 7439-92-1	<i>Lead Shot #8</i>
CAS: 7440-02-0	<i>Nickel Metal</i>

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

CAS: 7440-43-9	<i>cadmium Metal</i>
----------------	----------------------

· **Chemicals known to cause developmental toxicity:**

CAS: 7440-43-9	<i>cadmium Metal</i>
----------------	----------------------

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 7782-49-2	<i>selenium</i>	<i>D</i>
CAS: 7440-43-9	<i>cadmium Metal</i>	<i>B1</i>
CAS: 7440-41-7	<i>beryllium</i>	<i>B1, K/L(inh), CBD(oral)</i>
CAS: 7440-47-3	<i>chromium</i>	<i>D</i>
CAS: 7440-38-2	<i>arsenic</i>	<i>A</i>
CAS: 7440-50-8	<i>copper</i>	<i>D</i>

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 12)

CAS: 7439-96-5	manganese	D
CAS: 7440-66-6	Zinc Metal	D, I, II

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 7440-43-9	cadmium Metal	A2
CAS: 7440-41-7	beryllium	A1
CAS: 7440-48-4	cobalt	A3
CAS: 7440-47-3	chromium	A4
CAS: 7440-38-2	arsenic	A1
CAS: 7440-02-0	Nickel Metal	A5
CAS: 7439-98-7	Molybdenum Metal, 99.8%	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 7440-43-9	cadmium Metal
CAS: 7440-41-7	beryllium
CAS: 7440-38-2	arsenic
CAS: 7440-02-0	Nickel Metal

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Nitric Acid

Hydrofluoric Acid 49-51% Aqueous Solution

· **Hazard statements**

Harmful if swallowed.

Causes severe skin burns and eye damage.

· **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 14)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

**Trade name: Quality Control Standard
#21**

(Contd. of page 13)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

· **Date of preparation / last revision**

12-05-2017: review SDS for accuracy. STN

Creation date for SDS 03-25-2015. STN

12/05/2017 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1