Printing date 06/03/2024

Reviewed on 06/03/2024

1 Identification	
· Product identifier	
• Trade name: <u>Bromophenol Blue</u> Indicator Solution	
• Article number: UC159	
 Details of the supplier of the safety data Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 	sheet
 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutio Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 	ons.org
2 Hazard(s) identification	
\cdot Classification of the substance or mixt	ıre
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single	Exposure 2 H371 May cause damage to the central nervous system and the visual organs.
GHS07	
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
 Label elements GHS label elements The product is clas Hazard pictograms 	sified and labeled according to the Globally Harmonized System (GHS).
GHS02 GHS07 GHS08	
· Signal word Danger	
• Hazard-determining components of lab Methanol	eling:
• Hazard statements Highly flammable liquid and vapor.	
~~~ A A	(Contd. on page 2)

Printing date 06/03/2024

#### Trade name: Bromophenol Blue Indicator Solution

Reviewed on 06/03/2024

	Contd. of page 1)
Harmful if swallowed.	
May cause damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF exposed or concerned: Call a poison center/doctor.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = $3$	
$\mathbf{V} = 0$	
· HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & 3 \end{array} Health = 3 \end{array}$	
FIRE 3 $Fire = 3$	
<b>REACTIVITY</b> $0$ Reactivity = 0	
• Other hazards	
· Results of PBT and vPvB assessment	
· <b>PBT</b> : Not applicable.	
• <b>vPvB</b> : Not applicable.	
, <u>, , , , , , , , , , , , , , , , , , </u>	

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	89.966%	
CAS: 67-56-1 Methanol	5.012%	
CAS: 67-63-0 Isopropanol	4.971%	
· Table of Nonhazardous Ingredients		
CAS: 115-39-9 Bromophenol Blue	0.051%	
· · · · · · · · · · · · · · · · · · ·	(Contd. on page 3)	
	——————————————————————————————————————	

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Bromophenol Blue Indicator Solution

CAS: 1310-73-2 Sodium Hydroxide

(Contd. of page 2) 0.0001%

## 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

	utions, protective equipment and emergency procedures	
	equipment. Keep unprotected persons away.	
	<b>precautions:</b> Do not allow to enter sewers/ surface or ground water.	
	aterial for containment and cleaning up:	
	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
1	inated material as waste according to section 13.	
Ensure adequat	e ventilation.	
· Reference to ot	her sections	
See Section 7 fo	r information on safe handling.	
See Section 8 fo	r information on personal protection equipment.	
See Section 13 j	for disposal information.	
· Protective Actio	n Criteria for Chemicals	
· PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm

Printing date 06/03/2024

Reviewed on 06/03/2024

#### Trade name: Bromophenol Blue Indicator Solution

			d. of page 3)	
CAS: 115-39-9	Bromophenol Blue	30	) mg/m³	
CAS: 1310-73-2	Sodium Hydroxide	0	5 mg/m ³	
· PAC-2:				
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	33	00* ppm	
CAS: 67-56-1	Methanol	2,1	100 ppm	
CAS: 67-63-0	Isopropanol	20	00* ppm	
CAS: 115-39-9	Bromophenol Blue	33	0 mg/m ³	
CAS: 1310-73-2 Sodium Hydroxide		5 n	ng/m³	
· PAC-3:	· PAC-3:			
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1500	0* ppm	
CAS: 67-56-1	Methanol	7200	* ppm	
CAS: 67-63-0	Isopropanol	1200	0** ppm	
CAS: 115-39-9	Bromophenol Blue	2,000	) mg/m³	
CAS: 1310-73-2	Sodium Hydroxide	50 m	g/m³	

## 7 Handling and storage

#### · Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
  Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

### $\cdot$ Components with limit values that require monitoring at the workplace:

## CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm
  - A3

(Contd. on page 5)

⁻ US

Printing date 06/03/2024

Reviewed on 06/03/2024

## Trade name: Bromophenol Blue Indicator Solution

	(Contd. of page
	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm
	Long-term value: 260 mg/m³, 200 ppm
	Skin
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEI
CAS:	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm
	Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm
	Long-term value: 200 ppm
	BEI, A4
Ingre	edients with biological limit values:
CAS:	: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
CAS:	: 67-63-0 Isopropanol
BEI	40 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: Acetone (background, nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
Expo	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	<b>thing equipment:</b> use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	ratory protective device that is independent of circulating air.
	ection of hands:
	Protective gloves
The g	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ t
2	nical mixture.
chem	
chem Selec	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
chem Selec <b>Mate</b>	erial of gloves
chem Selec <b>Mate</b> The s	r <mark>rial of gloves</mark> selection of the suitable gloves does not only depend on the material, but also on further marks of quality an
chem Selec <b>Mate</b> The s varie	erial of gloves

_____US

Printing date 06/03/2024

#### Trade name: Bromophenol Blue Indicator Solution

Reviewed on 06/03/2024

(Contd. of page 5)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	<b>T</b> · · · <b>T</b>
Form:	Liquid
Color: Odor:	Reddish-bronze Alcohol
Odor: Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	$64 ^{\circ}C  (147.2 ^{\circ}F)$
01 0 0	
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.7894 g/cm ³ (6.58754 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.
Viscosity:	
Dynamic:	Not determined.

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name:	Bromophenol Blue
	Indicator Solution

		(Contd. of page 6
Kinematic:	Not determined.	
· Solvent content: Organic solvents: VOC content:	99.9 % 99.95 % 789.0 g/l / 6.58 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

## 10 Stability and reactivity

• *Reactivity* No further relevant information available.

#### · Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

### · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute	Toxicity Estimate)

Oral	LD50	1,995 mg/kg
Dermal	LD50	5,985 mg/kg
Inhalative	LC50/4h	59.9 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	1	
CAS: 67-63-0 Isopropanol	3	
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		
	US	

(Contd. on page 8)

Printing date 06/03/2024

Reviewed on 06/03/2024

#### Trade name: Bromophenol Blue Indicator Solution

(Contd. of page 7)

## **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol
IMDG, IATA	, FLAMMABLE LIQUID, N.O.S. (Ethanol, Methanol, Isopropanol )
Transport hazard class(es)	
DOT	
RAMINEE LOOP	
Class	3 Flammable liquids
Label	3

Printing date 06/03/2024

Reviewed on 06/03/2024

### Trade name: Bromophenol Blue Indicator Solution

	(Contd. of page
IMDG, IATA	
Class Label	3 Flammable liquids 3
2	5
Packing group	
DOT, IMDG, IATA	11
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code).	33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANO)
	METHANOL, ISOPROPANOL
	), <i>3</i> , <i>II</i>

# **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
CAS: 67-63-0 Isopropanol	
· TSCA (Toxic Substances Control Act):	
Ethyl Alcohol, Absolute 200 Proof	ACTIVE
Methanol	ACTIVE
Isopropanol	ACTIVE
(Contra	d. on page 10)

Printing date 06/03/2024

Reviewed on 06/03/2024

#### Trade name: Bromophenol Blue Indicator Solution

<u> </u>	(Contd. of page 9)
Bromophenol Blue	ACTIVE
Sodium Hydroxide	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	

CAS: 67-56-1 Methanol

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

 $\cdot$  Hazard-determining components of labeling:

Methanol

· Hazard statements

Highly flammable liquid and vapor.

Harmful if swallowed.

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

(Contd. on page 11)

AЗ

A4

Printing date 06/03/2024

Reviewed on 06/03/2024

### Trade name: Bromophenol Blue Indicator Solution

(Contd. of page 10)

Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Call a poison center/doctor. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/03/2024: Reviewed SDS for accuracy. MH/STN 06/03/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2 • * Data compared to the previous version altered.

US