

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

## 1 Identification

- **Product identifier**
- **Trade name:** Naphthalene, Laboratory Grade Flake
- **Article number:** N2101
- **CAS Number:**  
91-20-3
- **EC number:**  
202-049-5
- **Index number:**  
601-052-00-2
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**  
Chemtec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **Label elements**

- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** *Danger*

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

**Trade name: Naphthalene, Laboratory Grade Flake**

(Contd. of page 1)

- **Hazard statements**

Flammable solid.  
Harmful if swallowed.  
Suspected of causing cancer.

- **Precautionary statements**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If swallowed: Call a poison center/doctor if you feel unwell.  
If exposed or concerned: Get medical advice/attention.  
Rinse mouth.  
In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
91-20-3 Naphthalene
- **Identification number(s)**
- **EC number:** 202-049-5
- **Index number:** 601-052-00-2

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

**Trade name: Naphthalene, Laboratory Grade Flake**

(Contd. of page 2)

- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**
- **PAC-1:** 15 ppm
- **PAC-2:** 83 ppm
- **PAC-3:** 500 ppm

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Open and handle receptacle with care.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

US

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Naphthalene, Laboratory Grade Flake

(Contd. of page 3)

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**CAS: 91-20-3 Naphthalene**

PEL Long-term value: 50 mg/m<sup>3</sup>, 10 ppm

REL Short-term value: 75 mg/m<sup>3</sup>, 15 ppm  
Long-term value: 50 mg/m<sup>3</sup>, 10 ppm

TLV Long-term value: 52 mg/m<sup>3</sup>, 10 ppm  
Skin; BEI

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Not required.

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Flakes

Color: White

· **Odor:** Moth ball odor

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

**Trade name: Naphthalene, Laboratory Grade Flake**

(Contd. of page 4)

· <b>Change in condition</b>	
Melting point/Melting range:	80 °C (176 °F)
Boiling point/Boiling range:	218 °C (424.4 °F)
· <b>Flash point:</b>	80 °C (176 °F)
· <b>Flammability (solid, gaseous):</b>	Product is not flammable.
· <b>Ignition temperature:</b>	540 °C (1,004 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Not determined.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
Lower:	0.9 Vol %
Upper:	5.9 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	0.04 hPa (0 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	1.14 g/cm <sup>3</sup> (9.5133 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water at 20 °C (68 °F):</b>	
	0.03 g/l
· <b>Partition coefficient (n-octanol/water):</b> Not determined.	
· <b>Viscosity:</b>	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
- |   |                      |
|---|----------------------|
| · <b>LD/LC50 values that are relevant for classification:</b> |                      |
| Oral  | LD50 500 mg/kg (ATE) |
- **Primary irritant effect:**
  - **on the skin:** No irritant effect.
  - **on the eye:** No irritating effect.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

**Trade name: Naphthalene, Laboratory Grade Flake**

(Contd. of page 5)

- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer) 2B**
- **NTP (National Toxicology Program) R**
- **OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.**

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 3 (Assessment by list): extremely hazardous for water  
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
 Danger to drinking water if even extremely small quantities leak into the ground.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |                                  |                    |
|----------------------------------|--------------------|
| · <b>UN-Number</b>               |                    |
| · <b>DOT, IMDG, IATA</b>         | UN1334             |
| · <b>UN proper shipping name</b> |                    |
| · <b>DOT</b>                     | Naphthalene, crude |
| · <b>IMDG, IATA</b>              | NAPHTHALENE, CRUDE |

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

Trade name: Naphthalene, Laboratory Grade Flake

(Contd. of page 6)

· **Transport hazard class(es)**· **DOT**· **Class**

4.1 Flammable solids, self-reactive substances and solid desensitised explosives

· **Label**

4.1

· **IMDG, IATA**· **Class**

4.1 Flammable solids, self-reactive substances and solid desensitised explosives

· **Label**

4.1

· **Packing group**· **DOT, IMDG, IATA**

III

· **Environmental hazards:**

Environmentally hazardous substance, solid; Marine Pollutant

· **Marine pollutant:**

No

· **Special precautions for user**

Warning: Flammable solids, self-reactive substances and solid desensitised explosives

· **Danger code (Kemler):**

40

· **EMS Number:**

F-A,S-G

· **Stowage Category**

A

· **Stowage Code**

SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **DOT**· **Quantity limitations**

On passenger aircraft/rail: 25 kg

On cargo aircraft only: 100 kg

· **Hazardous substance:**

100 lbs, 45.4 kg

· **IMDG**· **Limited quantities (LQ)**

5 kg

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

· **UN "Model Regulation":**

UN 1334 NAPHTHALENE, CRUDE, 4.1, III

US

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

**Trade name: Naphthalene, Laboratory Grade Flake**

(Contd. of page 7)

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is listed.

· <b>TSCA (Toxic Substances Control Act):</b>
---

Naphthalene
-------------

- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency) C, CBD**
- **TLV (Threshold Limit Value established by ACGIH) A4**
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02    GHS07    GHS08

- **Signal word** *Danger*
- **Hazard statements**
  - Flammable solid.*
  - Harmful if swallowed.*
  - Suspected of causing cancer.*
- **Precautionary statements**
  - Obtain special instructions before use.*
  - Do not handle until all safety precautions have been read and understood.*
  - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*
  - Ground/bond container and receiving equipment.*
  - Use explosion-proof electrical/ventilating/lighting/equipment.*
  - Wash thoroughly after handling.*
  - Do not eat, drink or smoke when using this product.*
  - Wear protective gloves/protective clothing/eye protection/face protection.*
  - If swallowed: Call a poison center/doctor if you feel unwell.*
  - IF exposed or concerned: Get medical advice/attention.*
  - Rinse mouth.*
  - In case of fire: Use for extinction: CO2, powder or water spray.*
  - Store locked up.*
  - Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environment protection department.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/11/2017

Reviewed on 12/11/2017

**Trade name: Naphthalene, Laboratory Grade Flake**

(Contd. of page 8)

**· Contact:****· Date of preparation / last revision**

12-11-2017: review SDS for accuracy. STN

Creation date for SDS 02-06-2014. STN

12/11/2017 / -

**· Abbreviations and acronyms:***ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Flam. Sol. 1: Flammable solids – Category 1**Acute Tox. 4: Acute toxicity – Category 4**Carc. 2: Carcinogenicity – Category 2*

US