Printing date 05/28/2024

Reviewed on 05/28/2024

Identification	
Product identifier	
Trade name: Phosphoric Acid 1:1	
Sulfuric acid 1:2 Mix	
Article number: OXW014	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Aqua Solutions, Inc.	AQUA
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA 800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Technical Coordinator	-
Sherman Nelson shermann@aquasolutions.org Emergency telephone number:	3
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
Classification of the substance or mixture GHS08 Health hazard	
	H350 May cause cancer.
GHS08 Health hazard Carcinogenicity 1A	H350 May cause cancer.
GHS08 Health hazard	H350 May cause cancer.
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion	
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion	
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A Eye Damage 1	H314 Causes severe skin burns and eye damage.
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A Eye Damage 1	H314 Causes severe skin burns and eye damage.
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed.
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposu Label elements	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed.
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified of	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. ure 3 H335 May cause respiratory irritation.
GHS08 Health hazard Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified of	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. ure 3 H335 May cause respiratory irritation.
GHS08 Health hazard Carcinogenicity 1A Carcinogenicity 1A GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposu Label elements GHS label elements The product is classified of Hazard pictograms	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. ure 3 H335 May cause respiratory irritation.

Printing date 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix Reviewed on 05/28/2024

(Contd. of page 1) · Hazard-determining components of labeling: Phosphoric Acid 85% Sulfuric Acid 96 - 98% · Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. May cause cancer. May cause respiratory irritation. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 *Health* = *3

FIRE0Fire = 0REACTIVITY0Reactivity = 0

• Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix

		(Contd. of page 2)
· Dangerous com		
CAS: 7664-38-2	Phosphoric Acid 85%	32.126%
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	23.385%
• Table of Nonha	ardous Ingredients	
CAS: 7732-18-5	Water	44.489%

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
	(Contd. on page 4)
	US

Printing date 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix

Reviewed on 05/28/2024

	er disposal information. 1 Criteria for Chemicals	(Contd. of page 3)
· PAC-1:		
CAS: 7664-38-2	Phosphoric Acid 85%	3 mg/m ³
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	$0.20 mg/m^3$
· PAC-2:		
CAS: 7664-38-2	Phosphoric Acid 85%	30 mg/m ³
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m ³
· PAC-3:		
CAS: 7664-38-2	Phosphoric Acid 85%	150 mg/m ³
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m ³

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

	ponents with limit values that require monitoring at the workplace:	
	: 7664-38-2 Phosphoric Acid 85%	
PEL	Long-term value: 1 mg/m ³	
REL	Short-term value: 3 mg/m ³	
	Long-term value: 1 mg/m ³	
TLV	Short-term value: 3 mg/m ³	
	Long-term value: 1 mg/m ³	
CAS	. 7664-93-9 Sulfuric Acid 96 - 98%	
PEL	Long-term value: 1 mg/m ³	
REL	Long-term value: 1 mg/m ³	
TLV	Long-term value: 0.2* mg/m ³	
	*as thoracic fraction, A2	
· Addi	tional information: The lists that were valid during the creation were used as basis.	
		(Contd. on page 5)

(Contd. on page 5)

⁻us

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix

(Contd. of page 4)

Exposure controls
Personal protective equipment:
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and a General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	

Printing date 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix

Reviewed on 05/28/2024

	(Contd. of pag	ge 5)
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
• Density at 20 °C (68 °F):	1.31124 g/cm ³ (10.9423 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
\cdot Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	44.5 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix

(Contd. of page 6)

1 Toxicological	information
•	oxicological effects
• Acute toxicity:	
	that are relevant for classification:
ATE (Acute Toxi	• *
Oral LD50 1,55	6 mg/kg
· Primary irritant	
	ng caustic effect on skin and mucous membranes.
\cdot on the eye:	
Strong caustic eff	
0	th the danger of severe eye injury. sensitizing effects known.
	logical information:
	ins the following dangers according to internally approved calculation methods for preparations.
Harmful	s me jouon mig dangers decording to internation approved calculation methods for preparations.
Corrosive	
Irritant	
Swallowing will l and stomach.	ead to a strong caustic effect on mouth and throat and to the danger of perforation of esophage
· Carcinogenic cat	egories
· IARC (Internatio	nal Agency for Research on Cancer)
CAS: 7664-93-9	Sulfuric Acid 96 - 98% 1
· NTP (National T	oxicology Program)
CAS: 7664-93-9	Sulfuric Acid 96 - 98% K
· OSHA-Ca (Occu	pational Safety & Health Administration)
None of the ingre	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix Reviewed on 05/28/2024

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid
	Phosphoric Acid 85%)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuri Acid, Phosphoric Acid 85%)
Transport hazard class(es)	
DOT	
CORROSIVE	
- Class	8 Corrosive substances
Label	8
IMDG, IATA	
- Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix

	(Contd. of page
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
·IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
-	(SULFURIC ACID, PHOSPHORIC ACID 85%), 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (extremely hazardous substances): CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
Section 313 (Specific toxic chemical listings):	
CAS: 7664-38-2 Phosphoric Acid 85%	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
TSCA (Toxic Substances Control Act):	
Water	ACTIVI
Phosphoric Acid 85%	ACTIVI
Sulfuric Acid 96 - 98%	ACTIVI
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix

(Contd. of page 9)

EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	A
	11
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Ha	ırmonized System (GHS)
Hazard pictograms	
$\bigwedge \land \land$	
GHS05 GHS07 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Phosphoric Acid 85%	
Sulfuric Acid 96 - 98%	
Hazard statements	
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
May cause cancer.	
May cause respiratory irritation.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	tarlshowar
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wat IF INHALED: Remove person to fresh air and keep comfortable for breathing.	er/snower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,	if present and easy to
Continue rinsing.	y present and easy to
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international	regulations.
National regulations:	
National regulations: Additional classification according to Decree on Hazardous Materials:	
National regulations: Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).	

Printing date 05/28/2024

Trade name: Phosphoric Acid 1:1 Sulfuric acid 1:2 Mix Reviewed on 05/28/2024

(Contd. of page 10)

· Information about limitation of use

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/28/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-03-2015. STN 05/28/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Carcinogenicity 1A: Carcinogenicity - Category 1A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered.

US -