Printing date 06/21/2024

Reviewed on 06/21/2024


1 Identification

- · Product identifier
- Trade name: <u>o-Tolidine Reagent</u> <u>APHA for Residual Chlorine</u>
- · Article number: 9590
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



GHS08 Health hazard

Carcinogenicity 1BH350 May cause cancer.Specific Target Organ Toxicity - Repeated Exposure 2H373 May cause damage to organs through prolonged or
repeated exposure.

GHS05 Corrosion

Skin Corrosion 1A Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid
4,4'-bi-o-toluidine dihydrochloride
Hazard statements Causes severe skin burns and eye damage.

(Contd. on page 2)

⁻ US

Printing date 06/21/2024

CAS: 7732-18-5 Water

Reviewed on 06/21/2024

Trade name: o-Tolidine Reagent APHA for Residual Chlorine

(Con	td. of page 1)
May cause cancer.	1.8.
May cause damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and e	easy to do.
Continue rinsing.	-
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3 Fire = 0 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH T Health = $*3$	
FIRE0Fire0REACTIVITY0Reactivity	
· Other hazards	
· Results of PBT and vPvB assessment	
• <i>PBT:</i> Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7647-01-0 Hydrochloric Acid	16.87%
CAS: 612-82-8 4,4'-bi-o-toluidine dihydrochloride	0.132%
• Table of Nonhazardous Ingredients	<u> </u>

(Contd. on page 3)

82.998%

US

Printing date 06/21/2024

Reviewed on 06/21/2024

Trade name: o-Tolidine Reagent

APHA for Residual Chlorine

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· Protective Action Criteria for Chemicals
· PAC-1:
CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm
· PAC-2:
CAS: 7647-01-0 Hydrochloric Acid 22 ppm
(Contd. on page 4)

Printing date 06/21/2024

Reviewed on 06/21/2024

(Contd. of page 3)

100 ppm

Trade name: o-Tolidine Reagent

APHA for Residual Chlorine

• PAC-3:

CAS: 7647-01-0 Hydrochloric Acid

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

 $Open \ and \ handle \ receptacle \ with \ care.$

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm	
	A4	

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

Printing date 06/21/2024

Reviewed on 06/21/2024

Trade name: o-Tolidine Reagent APHA for Residual Chlorine

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

Printing date 06/21/2024

Reviewed on 06/21/2024

Trade name: o-Tolidine Reagent APHA for Residual Chlorine

		(Contd. of page
Density at 20 °C (68 °F):	1.02457 g/cm ³ (8.55004 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/	vater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	83.0 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

US

Printing date 06/21/2024

Reviewed on 06/21/2024

Trade name: o-Tolidine Reagent

APHA for Residual Chlorine

(Contd. of page 6)

R

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

CAS: 612-82-8 4,4'-bi-o-toluidine dihydrochloride

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN1789	
UN proper shipping name		
DOT	Hydrochloric acid solution	
IMDG, IATA	HYDROCHLORIC ACID solution	

Printing date 06/21/2024

Reviewed on 06/21/2024

Trade name: o-Tolidine Reagent APHA for Residual Chlorine

	(Contd. of pag
• Transport hazard class(es)	
·DOT	
· Class · Label	8 Corrosive substances 8
	0
· IMDG, IATA	
8	
· Class	8 Corrosive substances
· Label	8
· Packing group · DOT, IMDG, IATA	11
	11
· Environmental hazards: · Marine pollutant:	Na
-	
 Special precautions for user Hazard identification number (Kemler code): 	Warning: Corrosive substances
· Hazara menufication number (Kemier coae): · EMS Number:	60 F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	E
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L
· Quantuy umuations	On cargo aircraft only: 30 L
MDC	
· IMDG · Limited quantities (LQ)	11.
· Excepted quantities (EQ)	Code: E2
2	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II

*

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 06/21/2024

Reviewed on 06/21/2024

Trade name: o-Tolidine Reagent APHA for Residual Chlorine

	(Contd. of page 8
· Section 313 (Specific toxic chemical listings):	
CAS: 612-82-8 4,4'-bi-o-toluidine dihydrochloride	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVE
4,4'-bi-o-toluidine dihydrochloride	ACTIVE
· Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
· Proposition 65	
· Chemicals known to cause cancer:	
CAS: 612-82-8 4,4'-bi-o-toluidine dihydrochloride	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chamicala known to caugo douglonmontal tonicity.	
· Chemicals known to cause developmental toxicity:	

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

 \cdot TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid
4,4'-bi-o-toluidine dihydrochloride
Hazard statements Causes severe skin burns and eye damage. May cause cancer. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Printing date 06/21/2024

*

Reviewed on 06/21/2024

Trade name: o-Tolidine Reagent APHA for Residual Chlorine

	(Contd. of page 9)
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with we	ater/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses	, if present and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international	l regulations.
· National regulations:	
· Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	
· Information about limitation of use:	
Workers are not allowed to be exposed to the hazardous carcinogenic materials co	ntained in this preparation
<i>Exceptions can be made by the authorities in certain cases.</i>	numeu in mis preparation.
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
Chemical sajety assessment. If chemical sujety issessment has not been carried out.	
6 Other information	
6 Other information	
	stitute a quarantee for any
This information is based on our present knowledge. However, this shall not con	· · ·
	· · ·
This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshi	· · ·
This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit. Department issuing SDS: Environment protection department.	e , ,
This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshi • Department issuing SDS: Environment protection department. • Contact:	e , ,
This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshi • Department issuing SDS: Environment protection department. • Contact: Date of Preparation / Last Revision:	e , ,
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshi Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision 	· ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshi Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshi Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 	· ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation 	· ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Maritime Code for Dangerous Goods DOT: US Department of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative 	· · ·
 This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic 	· · ·
 This information is based on our present knowledge. However, this shall not conspecific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value 	· · ·
 This information is based on our present knowledge. However, this shall not conspecific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health LLY: Threshold Limit Value PEL: Permissible Exposure Limit 	· · ·
This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshi • Department issuing SDS: Environment protection department. • Contact: Date of Preparation / Last Revision: • Date of preparation / Last Revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transportation EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	· · ·
 This information is based on our present knowledge. However, this shall not conspecific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINCS: European List of Notified Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELNCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Kkin Corrosion IA: Skin corrosion/irritation – Category IA 	· · ·
This information is based on our present knowledge. However, this shall not con specific product features and shall not establish a legally valid contractual relationshi • Department issuing SDS: Environment protection department. • Contact: Date of Preparation / Last Revision: • Date of preparation / Last Revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation MTA: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent and very Bioaccumulative NIOSH: National Istifute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion IA: Skin corrosion/irritation – Category IA Eye Damage 1: Serious eye damage/eye irritation – Category I	e , ,
 This information is based on our present knowledge. However, this shall not conspecific product features and shall not establish a legally valid contractual relationshit Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 0.1, 06/21/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-02-2015. STN 06/21/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINCS: European List of Notified Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELNCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Kkin Corrosion IA: Skin corrosion/irritation – Category IA 	р.