Printing date 05/23/2024

Reviewed on 05/23/2024

### **1** Identification

- · Product identifier
- Trade name: <u>Ethylene Glycol 65% v/v</u> Water-Isopropanol 35% v/v Solution
- · Article number: ND449
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

### 2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.



Acute Toxicity - Oral 4H302 Harmful if swallowed.Skin Irritation 2H315 Causes skin irritation.

Eye Irritation 2A

H315 Causes skin irritation. H319 Causes serious eye irritation.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Ethylene Glycol
Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

(Contd. on page 2)

Printing date 05/23/2024

Reviewed on 05/23/2024

# Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

CAS: 67-63-0 Isopropanol

CAS: 7732-18-5 Water

· Table of Nonhazardous Ingredients

	(Contd. of page 1)
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
Specific treatment (see on this label).	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	
Continue rinsing.	una casy io ao.
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	_
Dispose of contents/container in accordance with local/regional/national/international regulation	S.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 2	
$\frac{2}{Reactivity} = 0$	
· HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{2} Health = 2$	
FIRE 2 $Fire = 2$	
<b>REACTIVITY</b> $0$ Reactivity = 0	
• Other hazards	
• Results of PBT and vPvB assessment	
• <b>PBT</b> : Not applicable.	
• <b>vPvB:</b> Not applicable.	
2 Composition linformation on incrediente	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• <b>Description:</b> Mixture of the substances listed below with nonhazardous additions.	
Description: Intende of the substances fished below with homal ardous datafions.     Dangerous components:	
	60.5336
CAS: 107-21-1 Ethylene Glycol	69.533%

18.552%

11.915%

(Contd. on page 3)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

(Contd. of page 2)

#### 4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions: Dilute with plenty of water.*

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:			
CAS: 107-21-1	Ethylene Glycol	30	0 ppm
CAS: 67-63-0	Isopropanol	40	00 ppm
· PAC-2:			
CAS: 107-21-1	Ethylene Glycol	150	ррт
CAS: 67-63-0	Isopropanol	2000	0* ppm
		(Contd.	on page 4)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

		(Contd. of page 3)
· PAC-3:		
CAS: 107-21-1	Ethylene Glycol	900 ppm
CAS: 67-63-0	sopropanol	12000** ppm

# 7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

	07-21-1 Ethylene Glycol	
TLV	Short-term value: 10** mg/m³, 50* ppm	
	Long-term value: 25* ppm	
	*vapor fraction: **inh. fraction, aerosol only, A4	
WEEL	<i>I</i> (2)	
CAS: 6	7-63-0 Isopropanol	
PEL	Long-term value: 980 mg/m³, 400 ppm	
REL	Short-term value: 1225 mg/m³, 500 ppm	
	Long-term value: 980 mg/m³, 400 ppm	
TLV	Short-term value: 400 ppm	
	Long-term value: 200 ppm	
	BEI, A4	
Ingred	ients with biological limit values:	
CAS: 6	7-63-0 Isopropanol	
BEI 40	) mg/L	
L	D50 Intraperitoneal: urine	
Ti	ime: end of shift at end of workweek	
<b>T</b> .	D50: Acetone (background, nonspecific)	

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance: Form:	Liquid	
Form: Color:	Clear	
Odor:	de l'alcool	
	l	
Odor threshold:	l Not determined.	
Odor threshold: pH-value:	l Not determined. Not determined.	
pH-value:		

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Ethylen	e Glycol 65% v/v
Water-I	sopropanol 35% v/v Solution

	(Contd. of page :
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	410 °C (770 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	53 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	1.0376 g/cm <sup>3</sup> (8.65877 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	11.9 %
Water:	18.6 %
VOC content:	11.92 %
	123.6 g/l / 1.03 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

(Contd. of page 6)

### **11 Toxicological information** · Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate) Oral LD50 719 mg/kg · Primary irritant effect: • on the skin: Irritant to skin and mucous membranes. • on the eye: Irritating effect. · Sensitization: No sensitizing effects known. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant · Carcinogenic categories · IARC (International Agency for Research on Cancer) 3

CAS: 67-63-0 Isopropanol

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. · Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Reviewed on 05/23/2024

Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

(Contd. of page 7)

· Uncleaned packagings:

Printing date 05/23/2024

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (Isopropanol
IMDG, IATA	) FLAMMABLE LIQUID, N.O.S. (Isopropanol )
Transport hazard class(es)	
DOT	
FLAMMARE (DJD)	
Class	3 Flammable liquids
Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group · DOT, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user EMS Number:	Warning: Flammable liquids F-E, <u>S-E</u>
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL ), 3, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US —

Printing date 05/23/2024

Reviewed on 05/23/2024

### Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

· Sara	(Contd. of page
- Sara - Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 107-21-1 Ethylene Glycol CAS: 67-63-0 Isopropanol	
TSCA (Toxic Substances Control Act):	
Ethylene Glycol	ACTIV
Water	ACTIV
Isopropanol	ACTIV
Hazardous Air Pollutants	
CAS: 107-21-1 Ethylene Glycol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 107-21-1 Ethylene Glycol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
CAS: 107-21-1 Ethylene Glycol	A
CAS: 67-63-0 Isopropanol	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Ethylene Glycol

• Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

Printing date 05/23/2024

Reviewed on 05/23/2024

#### Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

(Contd. of page 9) · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Specific treatment (see on this label). If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- Contact: Date of Preparation / Last Revision:
   Date of preparation / last revision Revision 1.2, 05/23/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0. 08-04-2016: creation date for SDS. STN 05/23/2024
   Abbreviations and acronyms:
  - IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI:** Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2

(Contd. on page 11)

US

Printing date 05/23/2024

Trade name: Ethylene Glycol 65% v/v Water-Isopropanol 35% v/v Solution

(Contd. of page 10)

Reviewed on 05/23/2024

Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A • \* Data compared to the previous version altered.

US –