Printing date 05/21/2024

Reviewed on 05/21/2024

Product identifier	
Trade name: <u>Benzoic Acid 5.05%</u> w/v in Methanol	
Article number: MIL030	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
<b>Information department:</b> Technical Coordinator Sherman Nelson shermann@aquasolutions.org <b>Emergency telephone number:</b> Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Hazard(s) identification Classification of the substance or mixture	
Classification of the substance or mixture	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 Composed on the substance of the subst	<ul> <li>H301 Toxic if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H331 Toxic if inhaled.</li> <li>1 H370 Causes damage to the central nervous system ar</li> </ul>
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 Composed on the substance of the subst	<ul> <li>H301 Toxic if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H331 Toxic if inhaled.</li> <li>1 H370 Causes damage to the central nervous system ar the visual organs.</li> <li>ure 1 H372 Causes damage to the lung through prolonged of the lung through pr</li></ul>

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Benzoic Acid 5.05% w/v in Methanol

(Contd. of page 1) · Hazard pictograms GHS06 GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol Benzoic Acid, Reagent ACS Grade · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Causes damage to the central nervous system and the visual organs. Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Get medical advice/attention if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0

(Contd. on page 3)

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Benzoic Acid 5.05% w/v in Methanol

(Contd. of page 2)

93.769%

6.231%

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health =  $3$ FIRE $3$ Fire =  $3$ REACTIVITY $0$ Reactivity =  $0$ 

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

CAS: 67-56-1 Methanol

CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade

## 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

• Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

<sup>·</sup> Advice for firefighters

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Benzoic Acid 5.05% w/v in Methanol

(Contd. of page 3)

Porsonal proc	autions, protective equipment and emergency procedures	
	tory protective device.	
1	ve equipment. Keep unprotected persons away.	
	Il precautions:	
Dilute with ple		
-	o enter sewers/ surface or ground water.	
Methods and	material for containment and cleaning up:	
	quid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizi		
	minated material as waste according to section 13.	
Ensure adeque		
Reference to a		
	for information on safe handling.	
	for information on personal protection equipment.	
	for disposal information.	
	ion Criteria for Chemicals	
<i>PAC-1:</i>		
CAS: 67-56-1	Methanol	530 ppr
CAS: 65-85-0	Benzoic Acid, Reagent ACS Grade	13 mg/r
<i>PAC-2:</i>		
CAS: 67-56-1	Methanol	2,100 pp
CAS: 65-85-0	Benzoic Acid, Reagent ACS Grade	140 mg/n
PAC-3:		
CAR. 67 56 1	Mathanol	7200* pp
CAS: 67-56-1	memanoi	1200 PP

## 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Benzoic Acid 5.05% w/v in Methanol

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

## CAS: 67-56-1 Methanol

PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

- REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

#### CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade

*TLV Long-term value: 0.5 mg/m<sup>3</sup> inh. fraction+vapour, Skin, A5* 

#### · Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift

LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 6)

Printing date 05/21/2024

#### Reviewed on 05/21/2024

#### Trade name: Benzoic Acid 5.05% w/v in Methanol

#### (Contd. of page 5)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and of General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Methanol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.81043 g/cm <sup>3</sup> (6.76304 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.

*Printing date 05/21/2024* 

Reviewed on 05/21/2024

Trade name: Benzoic Acid 5.05% w/v in Methanol

	(C	ontd. of page
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	93.8 %	
VOC content:	93.77 %	
	759.9 g/l / 6.34 lb/gal	
Solids content:	6.2 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
	LD50	106 mg/kg	
Dermal	LD50	320 mg/kg	
Dermal Inhalative	LC50/4h	3.2 mg/l	

#### · Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.

· Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Toxic* 

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Benzoic Acid 5.05% w/v in Methanol

(Contd. of page 7)

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Methanol)	
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)	
Transport hazard class(es)		
DOT		
R.MMARE LOUD		
3		
- Class	3 Flammable liquids	

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Benzoic Acid 5.05% w/v in Methanol

	(Contd. of pag
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

# **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- CAS: 67-56-1 Methanol
- · TSCA (Toxic Substances Control Act):
- Methanol
- Benzoic Acid, Reagent ACS Grade
- · Hazardous Air Pollutants
- CAS: 67-56-1 Methanol

(Contd. on page 10)

ACTIVE

ACTIVE

US

*Printing date 05/21/2024* 

Reviewed on 05/21/2024

Trade name: Benzoic Acid 5.05% w/v in Methanol

(Contd. of page 9)

D

#### · Proposition 65

## $\cdot$ Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 65-85-0 Benzoic Acid, Reagent ACS Grade

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Methanol Benzoic Acid, Reagent ACS Grade · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Causes damage to the central nervous system and the visual organs. Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth.

(Contd. on page 11)

Printing date 05/21/2024

\*

Reviewed on 05/21/2024

#### Trade name: Benzoic Acid 5.05% w/v in Methanol

(Contd. of page 10)

US

(Cond. of page 10)
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed: Call a POISON CENTER or doctor/physician.
Call a poison center/doctor if you feel unwell.
Get medical advice/attention if you feel unwell.
Take off immediately all contaminated clothing and wash it before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.
· Contact:
Date of Preparation / Last Revision:
· Date of preparation / last revision
Revision 1.2, 05/21/2024: Reviewed SDS for accuracy. MH/STN
05/21/2024
• Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flammable Liquids 2: Flammable liquids – Category 2
Acute Toxicity - Oral 3: Acute toxicity – Category 3
Eye Damage 1: Serious eye damage/eye irritation – Category 1 Service Tanget Organ Tanisity, Single Emergence 1: Service tanget tanget tanget tanget (single among tanget), Category 1
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1
• * Data compared to the previous version altered.