Printing date 06/17/2024

*

Reviewed on 06/17/2024

Product identifier	
Trade name: <u>15% w/v Hydroxylamine</u> Hydrochloride Solution	
Article number: 4432	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture GHS01 Exploding bomb Unstable Explosives	H200 Unstable explosive.
Classification of the substance or mixture GHS01 Exploding bomb Unstable Explosives GHS08 Health hazard	
Classification of the substance or mixture GHS01 Exploding bomb Unstable Explosives GHS08 Health hazard Carcinogenicity 2	H200 Unstable explosive. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged repeated exposure.
Classification of the substance or mixture GHS01 Exploding bomb Unstable Explosives GHS08 Health hazard Carcinogenicity 2	H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged
Classification of the substance or mixture GHS01 Exploding bomb Unstable Explosives GHS08 Health hazard Carcinogenicity 2 Specific Target Organ Toxicity - Repeated Exposure 2	H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged
Classification of the substance or mixture GHS01 Exploding bomb Unstable Explosives GHS08 Health hazard Carcinogenicity 2 Specific Target Organ Toxicity - Repeated Exposure 2	H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged repeated exposure.
Classification of the substance or mixture GHS01 Exploding bomb Unstable Explosives GHS08 Health hazard Carcinogenicity 2 Specific Target Organ Toxicity - Repeated Exposure 2 GHS07 Acute Toxicity - Oral 4	 H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged repeated exposure. H302 Harmful if swallowed.
Classification of the substance or mixture GHS01 Exploding bomb Unstable Explosives GHS08 Health hazard Carcinogenicity 2 Specific Target Organ Toxicity - Repeated Exposure 2 GHS07 Acute Toxicity - Oral 4 Skin Irritation 2	 H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged repeated exposure. H302 Harmful if swallowed. H315 Causes skin irritation.

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution

(Contd. of page 1) · Hazard pictograms GHS01 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Hydroxylamine Hydrochloride · Hazard statements Unstable explosive. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wear personal protective equipment/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Explosion risk in case of fire. DO NOT fight fire when fire reaches explosives. Evacuate area. Store in accordance with local/regional/national/international regulations. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 4

(Contd. on page 3)

US

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution

(Contd. of page 2)

14.798%

85.202%

· HMIS-ratings (scale 0 - 4)



Fire = 0**REACTIVITY O** Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 5470-11-1 Hydroxylamine Hydrochloride

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• *After skin contact:* Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 06/17/2024

*

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution Reviewed on 06/17/2024

(Contd. of page 3)

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Remove persons from danger area. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter severs/ surface or ground water. •Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. •PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride •PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride *Handling: Precaultions for safe handling. Pace: CAS: 5470-11-1 Hydroxylamine Hydrochloride *PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride *Handli	Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Remove persons from danger area. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride QAS: 5470-11-1 Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride Pacesit Pandling: P		
Mount respiratory protective device. Remove persons from danger area. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride (AS: 5470-11-1] Hydroxylamine Hydrochloride PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride (AS: 5470-11-1] Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m Phandling: Preca	Mount respiratory protective device. Remove persons from danger area. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 1 for information on safe handling. See Section 1 for information on personal protection equipment. See Section 1 for information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride QAS: 5470-11-1 Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride Particities Precautions for safe handling Ensure	6 Accidental release measures	
Mount respiratory protective device. Remove persons from danger area. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride (AS: 5470-11-1] Hydroxylamine Hydrochloride PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride (AS: 5470-11-1] Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m Phandling: Preca	Mount respiratory protective device. Remove persons from danger area. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 1 for information on safe handling. See Section 1 for information on personal protection equipment. See Section 1 for information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride QAS: 5470-11-1 Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride QAS: 5470-11-1 Hydroxylamine Hydrochloride Pacc-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg	· Personal precautions, protective equipment and emergency procedures	
 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 [Hydroxylamine Hydrochloride PAC-2: CAS: 5470-11-1 [Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride Pacc-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride Pacc-3: CAS: sequence and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information on dat the consplant explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride QA: Stordperind QA: Stordperind PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride Pacc-3: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Hydromation about protection against explosions and fires: Keep ignition sources away - Do not smoke.		
 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 [Hydroxylamine Hydrochloride PAC-2: CAS: 5470-11-1 [Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride Pacc-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride Pacc-3: CAS: sequence and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information on dat the consplant explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride QA: Stordperind PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride QA: Stordperind Precautions for safe handling Precautions for safe handling <td></td> <td></td>		
Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Ditue with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 7 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 0.42 mg/m PAC-2: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 4.7 mg/m PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 28 mg/m PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 28 mg/m Parceautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information adout protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 7 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride Parecutions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Phormation about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
Dilute with plenty of water. Do not allow to enter severs/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 7 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m Proceutions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep respiratory protective device available.	Dilute with plenty of water. Do not allow to enter severs' surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 7 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 0.42 mg/mi PAC-2: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 4.7 mg/mi PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 28 mg/mi Pacca: Handling: Precations for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information of aerosols. Information about protection against explosions and fires: Keep ignituon sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 1. (AS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information against explosions and fires: Keep igniton sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomine, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 7 for information on segnal protection equipment. See Section 7 for information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m ² PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m ² PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m ² PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m ² PAC-3: PAC-3: PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m ² PAC-3: PAC	Inform respective authorities in case of seepage into water course or sewage system.	
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride O.42 mg/m PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride VAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride VAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride Vas mg/m Pac-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride Vas mg/m Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride Q.42 mg/m ² PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride Q.55 5470-11-1 Hydroxylamine Hydrochloride Q.58 mg/m ² PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride Q.82 mg/m ² Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. <td></td> <td></td>		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 0.42 mg/m PAC-2: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 4.7 mg/m PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 28 mg/m PAC-3: Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 0.42 mg/m ² PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 4.7 mg/m ² PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 28 mg/m ² PAC-3: CAS: 5470-11-1 [Hydroxylamine Hydrochloride 20 mg/m ² PAC-3: PAC-3: PAC-3: PAC-3: PAC-3: PAC-4: PAC-4: PAC-4: PAC-5: PAC-6: PAC-6: PAC-6: PAC-6: PAC-6: PAC-6: PAC-6: PAC-6: PAC-6: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7: PAC-7		
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m PAC-3: Thandling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m: PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m: PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m: PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m: Pac-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
Ensure adequate ventilation. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals • PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/mi • PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/mi • PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/mi • PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/mi • PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/mi • Pactating and storage • Handling and storage • Handling: • Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent im	Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m: PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m: PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m: Pac-3:		
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals • PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride • PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride • PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride • PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride • PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m • Handling and storage • Handling: • • • • • • • • • • • • • • • • • •	Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/mi PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/mi PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/mi PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/mi Pace-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/mi Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of acrosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 5. Forecautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m ⁻ PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m ⁻ PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m ⁻ Pac-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 5. Information for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals (AS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m (Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m ⁻ PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m ⁻ PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 128 mg/m ⁻ PAC-3: PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 128 mg/m ⁻ PAC-3: PAC-3: PAC-3: PAC-3: PAC-3: PAC-4: PA		
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m ² PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m ² PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m ² Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
Protective Action Criteria for Chemicals • PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m • PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m • PAC-3:	Protective Action Criteria for Chemicals PAC-1: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m² PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m² PAC-3: 28 mg/m² CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m² PAC-3: 28 mg/m² CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m² Handling and storage 28 mg/m² Handling and storage 28 mg/m² Handling is Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. 0pen and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. Keep respiratory protective device available.		
• PAC-1: 0.42 mg/m: CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m: • PAC-2: 4.7 mg/m: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m: • PAC-3: 28 mg/m: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m: • Handling and storage 28 mg/m: • Handling: • • • Precautions for safe handling • • Ensure good ventilation/exhaustion at the workplace. • • Open and handle receptacle with care. • • Prevent formation of aerosols. • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • <td>PAC-1: 0.42 mg/m² CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m² PAC-2: 4.7 mg/m² CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m² PAC-3: 28 mg/m² CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m² Handling and storage 28 mg/m² Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. Keep respiratory protective device available.</td> <td></td> <td></td>	PAC-1: 0.42 mg/m² CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m² PAC-2: 4.7 mg/m² CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m² PAC-3: 28 mg/m² CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m² Handling and storage 28 mg/m² Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. Keep respiratory protective device available.		
CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m • PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m • PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m • Handling and storage • Handling: • Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	CAS: 5470-11-1 Hydroxylamine Hydrochloride 0.42 mg/m· PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m· PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m· · · Handling and storage · · Handling: · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.	•	
• PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m: • PAC-3: 28 mg/m: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m: 7 Handling and storage 28 mg/m: 6 Precautions for safe handling 28 mg/m: 7 Precautions for safe handling 7 8 Precautions for safe handling 7 9 Precaution of a safe handling 7 9 Precaution of a safe handling 7 9 Precound handle receptacle with care. 7 9 Prevent formation of aerosols. 7 1 Information about protection against explosions and fires: 7 1 Keep ignition sources away - Do not smoke. 7 9 Prevent impact and friction. 8 1 Keep respiratory protective device available. 10	PAC-2: CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m: PAC-3: 28 mg/m: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m: Handling and storage 4.7 mg/m: Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. 0pen and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Free respiratory protective device available. 4.7 mg/m:	· PAC-1:	
CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m • PAC-3: 28 mg/m CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m 7 Handling and storage 2 • Handling: • • • Precautions for safe handling • • Ensure good ventilation/exhaustion at the workplace. • • Open and handle receptacle with care. • • Prevent formation of aerosols. • • Information about protection against explosions and fires: • • Keep ignition sources away - Do not smoke. • • Prevent impact and friction. • • • Keep respiratory protective device available. • • •	CAS: 5470-11-1 Hydroxylamine Hydrochloride 4.7 mg/m ² PAC-3: 28 mg/m ² CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m ² Handling and storage 28 mg/m ² Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. 0pen and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Free respiratory protective device available. 1000000000000000000000000000000000000	CAS: 5470-11-1 Hydroxylamine Hydrochloride	0.42 mg/m ²
• PAC-3: CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m 7 Handling and storage 28 mg/m • Handling: • • • Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Open and handle receptacle with care. • Prevent formation of aerosols. • • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. • Prevent impact and friction. Keep respiratory protective device available. •	PAC-3: 28 mg/m ² CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m ² Handling and storage 4 Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. 0pen and handle receptacle with care. Prevent formation of aerosols. 1 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	· PAC-2:	
CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m Z Handling and storage Z Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Y Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. Keep respiratory protective device available.	CAS: 5470-11-1 Hydroxylamine Hydrochloride 28 mg/m Handling and storage	CAS: 5470-11-1 Hydroxylamine Hydrochloride	4.7 mg/m ⁻
 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	 Handling and storage Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	· PAC-3:	
 Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	 Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	CAS: 5470-11-1 Hydroxylamine Hydrochloride	28 mg/m ²
 Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	 Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 		
 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available. 	 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	7 Handling and storage	
Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Handling:	
Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.	Keep ignition sources away - Do not smoke. Prevent impact and friction. Keep respiratory protective device available.		
Prevent impact and friction. Keep respiratory protective device available.	Prevent impact and friction. Keep respiratory protective device available.		
Keep respiratory protective device available.	Keep respiratory protective device available.		
	Conditions for safe storage, including any incompatibilities	Keep respiratory protective device dvalidble.	

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Protect from heat and direct sunlight.
- *Specific end use(s) No further relevant information available.*

(Contd. on page 5)

US

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic phy	vsical and chemical properties	
General Information	stear and enemiear properties	
Appearance:		
Form:	Liquid	
Color:	Clear	

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution

	(Contd. of page 5
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Risk of explosion by shock, friction, fire or other sources of ignition.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.01364 g/cm³ (8.45883 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
\cdot Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	85.2 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	14.8 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

[·] Chemical stability

Printing date 06/17/2024

*

Reviewed on 06/17/2024

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution

(Contd. of page 6)

11 Toxic o	logical information		
· Informa · Acute to	ition on toxicological effects oxicity:		
· LD/LC5	0 values that are relevant for classification:		
ATE (A	cute Toxicity Estimate)		
Oral	LD50 676 mg/kg		
Dermal	LD50 7,433 mg/kg		
• on the e • Sensitiz • Addition	kin: Irritant to skin and mucous membranes. ye: Irritating effect. ation: Sensitization possible through skin contact. tal toxicological information: duct shows the following dangers according to internally approved calculation methods for preparations: l		
· Carcino	genic categories		
· IARC (I	· IARC (International Agency for Research on Cancer)		
None of	None of the ingredients is listed.		
$\cdot NTP$ (N	ational Toxicology Program)		
None of	None of the ingredients is listed.		
· OSHA-	Ca (Occupational Safety & Health Administration)		

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution

(Contd. of page 7)

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Hydroxylamine Hydrochloride)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Hydroxylamine Hydrochloride)
Transport hazard class(es)	
DOT	
CORROSIVE	
8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
····· ··· ··· ···	
<u>F</u>	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	111
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Stowage Category	
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L

ACTIVE

ACTIVE

Safety Data Sheet acc. to OSHA HCS

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name:	15% w/v Hydro	oxylamine
	Hydrochloride	Solution

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROXYLAMINE HYDROCHLORIDE), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 \cdot Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): Water

Hydroxylamine Hydrochloride

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

\cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution

· Signal word Danger	
· Hazard-determining components of labeling:	
Hydroxylamine Hydrochloride	
· Hazard statements	
Unstable explosive.	
Harmful if swallowed.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
Suspected of causing cancer.	
May cause damage to organs through prolonged or repeated exposure.	
• Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not herathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Wear personal protective equipment/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present of	and easy to do
Continue rinsing.	and cusy to do.
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
<i>Get medical advice/attention if you feel unwell.</i>	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
Explosion risk in case of fire.	
DO NOT fight fire when fire reaches explosives.	
Evacuate area.	
Store in accordance with local/regional/national/international regulations.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

• Contact: Date of Preparation / Last Revision:

- Date of preparation / last revision Revision 0.1, 06/17/2024: Reviewed SDS for accuracy. MH/STN 06/17/2024 / 1.0
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

US

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: 15% w/v Hydroxylamine Hydrochloride Solution

	(Contd. of page 10)
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Unstable Explosives: Explosives – Unstable explosive	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Sensitization - Skin 1: Skin sensitisation – Category 1	
Carcinogenicity 2: Carcinogenicity – Category 2	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
\cdot * Data compared to the previous version altered.	
Dum comparta to me previous version ancrea.	
	US —