Printing date 05/14/2024 Reviewed on 05/14/2024

1 Identification

· Product identifier

· Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

· Article number: HYD059

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1B H350 May cause cancer.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Hexamethylenetetramine

Hydrazine Sulfate

· Hazard statements

May cause an allergic skin reaction.

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 2)

Printing date 05/14/2024 Reviewed on 05/14/2024

Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*0 *Health* = *0 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| | · Dangerous components: | | |
|--------------------------------|-------------------------------------|------------------------|---------|
| CAS: 100-97-0 Hexamethylenetet | | Hexamethylenetetramine | 1.233% |
| | CAS: 10034-93-2 | Hydrazine Sulfate | 0.123% |
| Ī | · Table of Nonhazardous Ingredients | | |
| | CAS: 7732-18-5 | Water | 98.644% |

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 05/14/2024 Reviewed on 05/14/2024

Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| Trovers Tenon Crusting or Chemicans | | | | |
|-------------------------------------|------------------------|------------------------|--|--|
| · PAC-1: | | | | |
| CAS: 100-97-0 | Hexamethylenetetramine | 55 mg/m ³ | | |
| CAS: 10034-93-2 | Hydrazine Sulfate | 0.5 mg/m^3 | | |
| · PAC-2: | | | | |
| CAS: 100-97-0 | Hexamethylenetetramine | 610 mg/m³ | | |
| CAS: 10034-93-2 | Hydrazine Sulfate | 5.5 mg/m^3 | | |
| · PAC-3: | | | | |
| CAS: 100-97-0 | Hexamethylenetetramine | $3,600 \text{ mg/m}^3$ | | |
| CAS: 10034-93-2 | Hydrazine Sulfate | 33 mg/m³ | | |
| | | | | |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

Printing date 05/14/2024 Reviewed on 05/14/2024

Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 100-97-0 Hexamethylenetetramine

TLV Long-term value: 1 mg/m³ *inhalable fraction, A4, DSEN

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 05/14/2024 Reviewed on 05/14/2024

Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

(Contd. of page 4) • Body protection: Protective work clothing

| Information on basic physical and c | homical proporties | | |
|-----------------------------------------------------------------|-----------------------------------------------|--|--|
| · Injormation on basic physical and cl · General Information | петисы ргорениев | | |
| · Appearance: | | | |
| Form: | Liquid | | |
| Color: | Milky opaque color, must be shaken before use | | |
| · Odor: | Odorless | | |
| Odor threshold: | Not determined. | | |
| pH-value: | Not determined. | | |
| · Change in condition | | | |
| Melting point/Melting range: | 0 °C (32 °F) | | |
| Boiling point/Boiling range: | 100 °C (212 °F) | | |
| · Flash point: | Not applicable. | | |
| Flammability (solid, gaseous): | Not applicable. | | |
| Decomposition temperature: | Not determined. | | |
| Ignition temperature: | Product is not selfigniting. | | |
| Danger of explosion: | Product does not present an explosion hazard. | | |
| Explosion limits: | | | |
| Lower: | Not determined. | | |
| Upper: | Not determined. | | |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | | |
| Density at 20 °C (68 °F): | 1.00345 g/cm³ (8.37379 lbs/gal) | | |
| · Relative density | Not determined. | | |
| · Vapor density | Not determined. | | |
| Evaporation rate | Not determined. | | |
| · Solubility in / Miscibility with | | | |
| Water: | Fully miscible. | | |
| Partition coefficient (n-octanol/wate | r): Not determined. | | |
| · Viscosity: | | | |
| Dynamic: | Not determined. | | |
| Kinematic: | Not determined. | | |
| Solvent content: | | | |
| Water: | 98.6 % | | |
| VOC content: | 0.00 % | | |
| | 0.0 g/l / 0.00 lb/gal | | |
| Solids content: | 1.4 % | | |
| Other information | No further relevant information available. | | |

Printing date 05/14/2024 Reviewed on 05/14/2024

Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

| Oral | LD50 | 487,429 mg/kg (rat) |
|------------|---------|---------------------|
| | | 243,309 mg/kg |
| Inhalative | LC50/4h | 406 mg/l |

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

CAS: 10034-93-2 Hydrazine Sulfate

R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)

Printing date 05/14/2024 Reviewed on 05/14/2024

Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

(Contd. of page 6)

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | | |
|-------------------------------------------------|-----------------|--|
| DOT, ADN, IMDG, IATA | Not regulated | |
| UN proper shipping name DOT, ADN, IMDG, IATA | Not regulated | |
| Transport hazard class(es) | | |
| DOT, ADN, IMDG, IATA | | |
| Class | Not regulated | |
| Packing group | | |
| DOT, IMDG, IATA | Not regulated | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| · Transport in bulk according to Annex II of | | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| UN "Model Regulation": | Not regulated | |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

| · Section 355 | (extremely | hazardous | substances): |
|---------------|------------|-----------|--------------|
|---------------|------------|-----------|--------------|

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 10034-93-2 Hydrazine Sulfate

· TSCA (Toxic Substances Control Act):

Water ACTIVE Hexamethylenetetramine ACTIVE

(Contd. on page 8)

Printing date 05/14/2024 Reviewed on 05/14/2024

Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

(Contd. of page 7)

Hydrazine Sulfate

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

CAS: 10034-93-2 Hydrazine Sulfate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Hexamethylenetetramine

Hydrazine Sulfate

· Hazard statements

May cause an allergic skin reaction.

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Printing date 05/14/2024 Reviewed on 05/14/2024

Trade name: Turbidity Std Kit 1,000 NTU

Mix HYD059A with HYD059B & Shake Well

(Contd. of page 8)

· National regulations:

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/14/2024: Reviewed SDS for accuracy. MH/STN 05/14/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Sensitization - Skin 1: Skin sensitisation - Category 1 Carcinogenicity 1B: Carcinogenicity - Category 1B

* Data compared to the previous version altered.