Printing date 05/31/2024

Reviewed on 05/31/2024

#### **1** Identification


- · Product identifier
- Trade name: Lead Nitrate 0.02 Normal Solution, Certified
- · Article number: SPX258
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

## 2 Hazard(s) identification





Carcinogenicity 2H351 Suspected of causing cancer.Toxic to Reproduction 1AH360 May damage fertility or the unborn child.

GHS05 Corrosion

Skin Corrosion 1A Eye Damage 1

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

- *Hazard-determining components of labeling:* Lead Nitrate
- Hazard statements
   Causes severe skin burns and eye damage.
   Suspected of causing cancer.
   May damage fertility or the unborn child.

(Contd. on page 2)

*Printing date 05/31/2024* 

Reviewed on 05/31/2024

## Trade name: Lead Nitrate

0.02 Normal Solution, Certified

0.02 Horman Soundon, Contylia
(Contd. of page 1)
· Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label). Wash contaming to d clothing hafore young
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} 1 \\ 3 \\ 0 \\ 0 \end{array} \begin{array}{c} Health = 3 \\ Fire = 0 \\ Reactivity = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH 3 $Health = 3$
FIRE 0 $Fire = 0$
$\frac{1}{REACTIVITY[0]} Reactivity = 0$
· Other hazards
· Results of PBT and vPvB assessment
• <b>PBT:</b> Not applicable.
• vPvB: Not applicable.
3 Composition/information on ingredients
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.
· Dangerous components:
CAS: 10099-74-8 Lead Nitrate 0.33%
C.I.S. 10077-77-0 Leau Ivillate 0.33%

CAS: 10099-74-8 Lead Nitrate CAS: 7697-37-2 Nitric Acid

• Table of Nonhaza	rdous Ingredients

CAS: 7732-18-5 Water

# 99.371%

0.3%

## 4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Lead Nitrate

0.02 Normal Solution, Certified

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

Mount respirator	tions, protective equipment and emergency procedures y protective device.	
	equipment. Keep unprotected persons away.	
Environmental p		
	duct to reach sewage system or any water course.	
	e authorities in case of seepage into water course or sewage system.	
Dilute with plenty		
	nter sewers/ surface or ground water.	
	terial for containment and cleaning up:	
	d-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing	•	
•	nated material as waste according to section 13.	
Ensure adequate		
Reference to othe		
	information on safe handling.	
•	information on personal protection equipment.	
	r disposal information.	
	criteria for Chemicals	
PAC-1:		
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m <sup>3</sup>
		0.24 mg/m <sup>3</sup> 0.16 ppm
CAS: 10099-74-8 CAS: 7697-37-2		÷
CAS: 10099-74-8	Nitric Acid	0.16 ppm
CAS: 10099-74-8 CAS: 7697-37-2 PAC-2:	Nitric Acid B Lead Nitrate	÷
CAS: 10099-74-8 CAS: 7697-37-2 <b>PAC-2:</b> CAS: 10099-74-8 CAS: 7697-37-2	Nitric Acid B Lead Nitrate	0.16 ppm
CAS: 10099-74-8 CAS: 7697-37-2 <b>PAC-2:</b> CAS: 10099-74-8	Nitric Acid Lead Nitrate Nitric Acid	0.16 ppm

(Contd. on page 4)

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Lead Nitrate

0.02 Normal Solution, Certified

(Contd. of page 3)

#### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. *Open and handle receptacle with care.* Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

	n parameters
	onents with limit values that require monitoring at the workplace:
	10099-74-8 Lead Nitrate
	Long-term value: 0.05 mg/m³ as Pb; See 29 CFR 1910.1025
	Long-term value: 0.05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C
	Long-term value: 0.05 mg/m³ as Pb; A3, BEI
CAS: 2	7697-37-2 Nitric Acid
PEL L	Long-term value: 5 mg/m³, 2 ppm
	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
L	Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor, NIC-A4
· Ingred	lients with biological limit values:
CAS: 1	10099-74-8 Lead Nitrate
L. T	00 μg/100 ml .D50 Intraperitoneal: blood "ime: not critical .D50: Lead
· Additie	onal information: The lists that were valid during the creation were used as basis.
• Person • Genera Keep a Immed	ure controls nal protective equipment: al protective and hygienic measures: away from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing.
Wash I	hands before breaks and at the end of work. (Contd. on page 5)
	(contait on page o)

Printing date 05/31/2024

Reviewed on 05/31/2024

#### Trade name: Lead Nitrate 0.02 Normal Solution, Certified

(Contd. of page 4)

Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	$0 \ ^{\circ}C \ (32 \ ^{\circ}F)$	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	

*Printing date 05/31/2024* 

Reviewed on 05/31/2024

## Trade name: Lead Nitrate

0.02 Normal Solution, Certified

		(Contd. of page
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.00359 g/cm³ (8.37496 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.4 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.3 %	
Other information	No further relevant information available.	

## **10** Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 1,002 mg/l

· Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

(Contd. on page 7)

<sup>—</sup> ÚS

*Printing date 05/31/2024* 

#### Reviewed on 05/31/2024

#### Trade name: Lead Nitrate 0.02 Normal Solution, Certified

(Contd. of page 6)

2A

R

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 10099-74-8 Lead Nitrate

· NTP (National Toxicology Program)

CAS: 10099-74-8 Lead Nitrate

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

• Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

Printing date 05/31/2024

Reviewed on 05/31/2024

## Trade name: Lead Nitrate

0.02 Normal Solution, Certified

(Contd. of page 7)

· UN-Number		
· DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

#### **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

• Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

CAS: 10099-74-8 Lead Nitrate

CAS: 7697-37-2 Nitric Acid

· TSCA (Toxic Substances Control Act):

Water	ACTIVE
Lead Nitrate	ACTIVE
Nitric Acid	ACTIVE

• Hazardous Air Pollutants

CAS: 10099-74-8 Lead Nitrate

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

CAS: 10099-74-8 Lead Nitrate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Lead Nitrate

0.02 Normal Solution, Certified

(Contd. of page 8)

EPA (Environmental Protection Agency)	
CAS: 10099-74-8 Lead Nitrate	
TLV (Threshold Limit Value)	
CAS: 10099-74-8 Lead Nitrate	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally He	armonized System (CHS
Hazard pictograms	armonized System (OII)
GHS05 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Lead Nitrate	
Hazard statements	
Causes severe skin burns and eye damage.	
Suspected of causing cancer.	
May damage fertility or the unborn child.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa	ter/shower.
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,	, if present and easy to
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	1 1 1
Dispose of contents/container in accordance with local/regional/national/international	regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
Other information	
This information is based on our present knowledge. However, this shall not cons	stitute a guarantee for
specific product features and shall not establish a legally valid contractual relationship	
<b>Department issuing SDS:</b> Environment protection department.	

- Date of Preparation / Last Revision:
- · Date of preparation / last revision

\*

Revision 1.2, 05/31/2024: Reviewed SDS for accuracy. MH/STN

(Contd. on page 10)

US

(Contd. of page 9)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/31/2024

Reviewed on 05/31/2024

### Trade name: Lead Nitrate 0.02 Normal Solution, Certified

	5-2022: Creation date for SDS. STN	
05/31/2024		
• Abbreviations and	acronyms:	
IMDG: International M	Iaritime Code for Dangerous Goods	
DOT: US Department		
	r Transport Association	
EINECS: European In	ventory of Existing Commercial Chemical Substances	
ELINCS: European Lis	t of Notified Chemical Substances	
	cts Service (division of the American Chemical Society)	
	Protection Association (USA)	
HMIS: Hazardous Mai	erials Identification System (USA)	
VOC: Volatile Organie	c Compounds (USA, EU)	
LC50: Lethal concentr		
LD50: Lethal dose, 50	percent	
PBT: Persistent, Bioac	cumulative and Toxic	
~	und very Bioaccumulative	
NIOSH: National Insti	tute for Occupational Safety	
OSHA: Occupational S		
TLV: Threshold Limit	Value	
PEL: Permissible Expe	osure Limit	
REL: Recommended E	xposure Limit	
BEI: Biological Expos	ure Limit	
	in corrosion/irritation – Category 1A	
	s eye damage/eye irritation – Category 1	
	rcinogenicity – Category 2	
	1A: Reproductive toxicity – Category 1A	
* Data compared	to the previous version altered.	

US