Printing date 05/29/2024

Reviewed on 05/29/2024

1 Identification

- · Product identifier
- · Trade name: Sodium Chlorate, Laboratory Grade Crystal
- Article number: S2650
- CAS Number: 7775-09-9
- *EC number:* 231-887-4
- Index number: 017-005-00-9
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number:* Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture

GHS03 Flame over circle

Oxidizing Solids 1

H271 May cause fire or explosion; strong oxidizer.

GHS07

Acute Toxicity - Oral 4H302 Harmful if swallowed.Eye Irritation 2AH319 Causes serious eye irritation.Specific Target Organ Toxicity - Single Exposure 3H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements
May cause fire or explosion; strong oxidizer.
Harmful if swallowed.
Causes serious eye irritation.

(Contd. on page 2)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Chlorate, Laboratory Grade Crystal

	(Contd. of page 1)
May cause respiratory irritation.	
Precautionary statements Kommunication for the statements	
Keep away from heat.	
Keep away from clothing and other combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Wear fire/flame resistant/retardant clothing.	
If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	t and same to do
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen	t and easy to ao
Continue rinsing.	
If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before rem	loving cloines.
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	un logion
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of ex	xpiosion.
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ns.
· Classification system: · NFPA ratings (scale 0 - 4)	
Tri A Taings (scale 0 - 4)	
$\frac{3}{1000}$ Health = 2	
2 0 Fire = 3	
Reactivity = 0	
The substance possesses oxidizing properties.	
· HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & 2 \\ \end{array} Health = 2 \end{array}$	
FIRE 3 Fire = 3	
REACTIVITY 0 Reactivity = 0	
• Other hazards	
· Other hazards · Results of PBT and vPvB assessment	
• PBT : Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
composition/nijornation on ingroutonis	
· Chemical characterization: Substances	
· CAS No. Description	

CAS: 7775-09-9 Sodium Chlorate

- Identification number(s)
 EC number: 231-887-4

*

· Index number: 017-005-00-9

(Contd. on page 3)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Chlorate, Laboratory Grade Crystal

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1: 3.6 mg/m³
- · PAC-2: 40 mg/m³
- · PAC-3: 240 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Chlorate, Laboratory Grade Crystal

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Crystalline	
Color:	Colorless	
· Odor:	Odorless	
• Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	255 °C (491 °F)	

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Chlorate, Laboratory Grade Crystal

		(Contd. of page 4)
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
• Danger of explosion:	Product does not present an explosion hazard. Explosive when mixed with combustible material.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	2.49 g/cm ³ (20.77905 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
• Solubility in / Miscibility with Water at 20 °C (68 °F):	101 g/l	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Chlorate, Laboratory Grade Crystal

(Contd. of page 5)

- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information • UN-Number • DOT, IMDG, IATA UN1495 • UN proper shipping name • DOT Sodium chlorate • IMDG, IATA SODIUM CHLORATE • Transport hazard class(es) • DOT • DOT • Class 5.1 Oxidizing substances

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Chlorate, Laboratory Grade Crystal

	(Contd. of pag
· Label	5.1
IMDG	
Class	5.1 Oxidizing substances
Label	5.1
IATA	
	5. 1. Oni dicina substances
Class Label	5.1 Oxidizing substances 5.1
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Environmentally hazardous substance, solid
Marine pollutant:	No
	Symbol (fish and tree)
Special precautions for user	Warning: Oxidizing substances
Segregation groups Stowage Category	(SGG4) Chlorates A
Sowage Calegory Segregation Code	SG38 Stow "separated from" SGG2-ammonium compounds.
	SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	1 kg
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1495 SODIUM CHLORATE, 5.1, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.

(Contd. on page 8)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

(Contd. of page 7)

Trade name: Sodium Chlorate, Laboratory Grade Crystal

- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



· Signal word Danger · Hazard statements May cause fire or explosion; strong oxidizer. Harmful if swallowed. Causes serious eye irritation. May cause respiratory irritation. · Precautionary statements Keep away from heat. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Wear fire/flame resistant/retardant clothing. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision

Revision 1.2, 05/28/2024: Reviewed SDS for accuracy. MH/STN

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Chlorate, Laboratory Grade Crystal

05/29/2024	
· Abbreviations a	and acronyms:

· Addreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Oxidizing Solids 1: Oxidizing solids – Category 1
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
• * Data compared to the previous version altered.

US -