Printing date 08/15/2024

*

Reviewed on 08/15/2024

Product identifier	
Trade name: Sodium Iodide	
Saturated in IPA	
Article number: EQS130	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Classification of the substance or mivture	
GHS02 Flame	H225 Highly flammable liquid and vapor
GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS02 Flame	H225 Highly flammable liquid and vapor.
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard	
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard	1 H372 Causes damage to organs through prolonged of
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure	1 H372 Causes damage to organs through prolonged o
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS07 Skin Irritation 2	1 H372 Causes damage to organs through prolonged or repeated exposure.
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3	1 H372 Causes damage to organs through prolonged repeated exposure. H315 Causes skin irritation.
Flammable Liquids 2 Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 1 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements	1 H372 Causes damage to organs through prolonged repeated exposure. H315 Causes skin irritation. H319 Causes serious eye irritation.
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS08 Health hazard	 H372 Causes damage to organs through prolonged or repeated exposure. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Printing date 08/15/2024

Trade name: Sodium Iodide Saturated in IPA Reviewed on 08/15/2024

(Contd. of page 1) · Hazard-determining components of labeling: Isopropanol Sodium Iodide · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eve irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eve irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH Health = 23 Fire = 3**REACTIVITY O** Reactivity = 0

· Other hazards

FIRE

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 3)

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: Sodium Iodide Saturated in IPA

· vPvB: Not applicable.

(Contd. of page 2)

77.9%

22.0%

0.1%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-63-0 Isopropanol

CAS: 7681-82-5 Sodium Iodide

· Table of Nonhazardous Ingredients

CAS: 1310-58-3 Potassium Hydroxide

4 First-aid measures

• Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.*

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

⁻ ÚS

Printing date 08/15/2024

Trade name: Sodium Iodide

Saturated in IPA

Reviewed on 08/15/2024

Absorb with liqu Dispose contami Ensure adequate Reference to oth See Section 7 for See Section 8 for See Section 13 for		(Contd. of page 3)
• PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7681-82-5	Sodium Iodide	13 mg/m ³
CAS: 1310-58-3	Potassium Hydroxide	0.18 mg/m ³
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 7681-82-5	Sodium Iodide	140 mg/m ³
CAS: 1310-58-3	Potassium Hydroxide	$2 mg/m^3$
· PAC-3:		· · ·
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 7681-82-5	Sodium Iodide	860 mg/m³
CAS: 1310-58-3	Potassium Hydroxide	54 mg/m^3

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 08/15/2024

Trade name: Sodium Iodide Saturated in IPA Reviewed on 08/15/2024

(Contd. of page 4)

Com			
	ponents with limit values that require monitoring at the workplace:		
	CAS: 67-63-0 Isopropanol		
PEL	Long-term value: 980 mg/m ³ , 400 ppm		
REL	Short-term value: 1225 mg/m ³ , 500 ppm		
	Long-term value: 980 mg/m ³ , 400 ppm		
TLV	Short-term value: 400 ppm		
	Long-term value: 200 ppm		
	BEI, A4		
	: 7681-82-5 Sodium Iodide		
TLV	Long-term value: 0.01 ppm		
	A4; Skin; *inhalation		
Ingr	edients with biological limit values:		
CAS	: 67-63-0 Isopropanol		
BEI	40 mg/L		
	LD50 Intraperitoneal: urine		
	Time: end of shift at end of workweek		
	LD50: Acetone (background, nonspecific)		
Gen Keep Imm Wasi	onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work.		
Gena Keep Imm Wash Store Avoi Brea In co respir	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. id contact with the eyes and skin. athing equipment:		
Gena Keep Imm Wash Store Avoi Brea In co respir	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. id contact with the eyes and skin. uthing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u iratory protective device that is independent of circulating air.		
Genu Keep Imm Wası Stora Avoi Brea In cc resp Prote	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. id contact with the eyes and skin. tthing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u iratory protective device that is independent of circulating air. ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to incal mixture.		
Genu Keep Imm Wass Stord Avoi Brea In cc resp Prot The z Due Chen Select Mata	eral protective and hygienic measures: to away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. id contact with the eyes and skin. tithing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u iratory protective device that is independent of circulating air. ection of hands: glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the incal mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation erial of gloves		
Genu Keep Imm Wash Store Avoi Brea In cc resp Prot The z Due Chem Selec Mata The z varie gthe g	eral protective and hygienic measures: by away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. id contact with the eyes and skin. thing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure using iratory protective device that is independent of circulating air. ection of hands: protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation. to of the glove material on consideration of the penetration times, rates of diffusion and the degradation eral of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality a est from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance glove material can not be calculated in advance and has therefore to be checked prior to the application.		
Genu Keep Imm Wass Store Avoi Brea In cc resp Prot The z Due chem Selec Mata the geno	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. id contact with the eyes and skin. athing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure a iratory protective device that is independent of circulating air. ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation. to missing tests no recommendation of the penetration times, rates of diffusion and the degradation erial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality a es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance		

(Contd. on page 6)

US

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: Sodium Iodide Saturated in IPA

(Contd. of page 5)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear to slightly turbid
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	1.4203 g/cm³ (11.8524 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

US –

Printing date 08/15/2024

Reviewed on 08/15/2024

ade name: Sodium Iodide Saturated in IPA		
		(Contd. of page
· Solvent content:		
Organic solvents:	77.9 %	
VOC content:	77.90 %	
	1,106.4 g/l / 9.23 lb/gal	
Solids content:	22.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 8)

3

US

Printing date 08/15/2024

Trade name: Sodium Iodide Saturated in IPA

Reviewed on 08/15/2024

(Contd. of page 7)

• Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • *Results of PBT and vPvB assessment*

· *PBT:* Not applicable.

· **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1993
	011775
UN proper shipping name DOT	Flammable liquids, n.o.s. (Isopropanol
201)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Isopropanol
)
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: Sodium Iodide Saturated in IPA

(Contd. of page
No
Warning: Flammable liquids
le): 33
<i>F-E,<u>S-E</u></i>
В
f
Not applicable.
On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, II

*

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 Isopropanol

• TSCA (Toxic Substances Control Act):

IsopropanolACTIVESodium IodideACTIVEPotassium HydroxideACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 10)

⁻ US

Printing date 08/15/2024

Reviewed on 08/15/2024

Trade name: Sodium Iodide Saturated in IPA

(Contd. of page 9)

A4

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger · Hazard-determining components of labeling: Isopropanol Sodium Iodide · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eve irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 11)

US

Printing date 08/15/2024

Trade name: Sodium Iodide Saturated in IPA

(Contd. of page 10)

Reviewed on 08/15/2024

Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 08-15-2024: Reviewed SDS for accuracy. STN/GW Creation date for SDS 12-29-2014. STN 08/15/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1 • * Data compared to the previous version altered.