Printing date 07/24/2024

Reviewed on 07/24/2024

1 Identification

- · Product identifier
- · Trade name: Iron Standard Solution
- · Article number: THE418
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

Classification of the substance or mixture

- The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0	Health = 0
FIRE 0	Fire = 0
REACTIVITY 0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7697-37-2 Nitric Acid

0.715% (Contd. on page 2)



US

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Iron Standard Solution

(Contd. of page 1)

99.282%

0.003%

• Table of Nonhazardous I	ngredients
---------------------------	------------

CAS: 7732-18-5 Water

CAS: 7783-85-9 Ferrous Ammonium Sulfate

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 7697-37-2 Nitric Acid	0.16 ppm
CAS: 7783-85-9 Ferrous Ammonium Sulfate	9.6 mg/m ³
· PAC-2:	
CAS: 7697-37-2 Nitric Acid	24 ppm
CAS: 7783-85-9 Ferrous Ammonium Sulfate	110 mg/m ³
· PAC-3:	
CAS: 7697-37-2 Nitric Acid	92 ppm
CAS: 7783-85-9 Ferrous Ammonium Sulfate	640 mg/m ³

(Contd. on page 3)

Printing date 07/24/2024

Reviewed on 07/24/2024

(Contd. of page 2)

Trade name: Iron Standard Solution

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.

· Breathing equipment: Not required.

- · Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

(Contd. on page 4)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Iron Standard Solution

(Contd. of page 3)

Information on basic physical and c	chemical properties
General Information	
Appearance:	7
Form: Color:	Liquid Colorless
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00362 g/cm ³ (8.37521 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	pr): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	99.3 % 0.00 %
VOC content:	0.00%
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

US

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Iron Standard Solution

- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 419 mg/l

- · Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

(Contd. of page 4)

⁻⁻⁻⁻⁻US

Printing date 07/24/2024

*

Reviewed on 07/24/2024

(Contd. of page 5)

Trade name: Iron Standard Solution

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

IMDGNot Regulated Not regulatedTransport hazard class(es)DOT, ADN, IMDG, IATAClassNot regulatedPacking group DOT, IMDG, IATANot regulatedEnvironmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code): 6060EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)SL SL Code: E1 Maximum net quantity per inner packaging: 30 ml	UN-Number	
DOT, IATANot regulatedIMDGNot RegulatedNot regulatedNot regulatedTransport hazard class(es)DOT, ADN, IMDG, IATAClassNot regulatedPacking groupDOT, IMDG, IATADOT, IMDG, IATANot regulatedEnvironmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code): 6060EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml	DOT, IMDG, IATA	Not regulated
IMDGNot Regulated Not regulatedTransport hazard class(es)DOT, ADN, IMDG, IATAClassNot regulatedPacking group DOT, IMDG, IATANot regulatedEnvironmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code): 6060EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)SL SL Code: E1 Maximum net quantity per inner packaging: 30 ml	UN proper shipping name	
Not regulatedTransport hazard class(es)DOT, ADN, IMDG, IATA ClassNot regulatedPacking group DOT, IMDG, IATANot regulatedPacking group DOT, IMDG, IATANot regulatedEnvironmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code): 60EMS Number:EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml	DOT, IATA	
Transport hazard class(es) DOT, ADN, IMDG, IATA Class Not regulated Packing group DOT, IMDG, IATA Packing group DOT, IMDG, IATA Not regulated Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 60 EMS Number: F-A,S-A Segregation groups (SGG1a) Strong acids Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml	IMDG	
DOT, ADN, IMDG, IATA ClassNot regulatedPacking group DOT, IMDG, IATANot regulatedEnvironmental hazards:Not applicable.Environmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code): 60FA,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml		Not regulated
ClassNot regulatedPacking group DOT, IMDG, IATANot regulatedEnvironmental hazards:Not applicable.Environmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code):60EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml	Transport hazard class(es)	
Packing group DOT, IMDG, IATANot regulatedEnvironmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code): 60EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml	DOT, ADN, IMDG, IATA	
Environmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code): 60Not applicable.EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml	· Class	Not regulated
Environmental hazards:Not applicable.Special precautions for userNot applicable.Hazard identification number (Kemler code):60EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml	Packing group	
Special precautions for userNot applicable.Hazard identification number (Kemler code): 60EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml	DOT, IMDG, IATA	Not regulated
Hazard identification number (Kemler code): 60EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml	Environmental hazards:	Not applicable.
EMS Number:F-A,S-ASegregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml	Special precautions for user	Not applicable.
Segregation groups(SGG1a) Strong acidsStowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml	Hazard identification number (Kemler code	e): 60
Stowage CategoryAStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml		,~
Stowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml		(SGG1a) Strong acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. DOT On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG SL Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml		
MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOTOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDGSL Code: E1 Maximum net quantity per inner packaging: 30 ml	Stowage Code	SW2 Clear of living quarters.
Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml		
DOT Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml	MARPOL73/78 and the IBC Code	Not applicable.
Quantity limitationsOn passenger aircraft/rail: 60 L On cargo aircraft only: 220 LIMDG5LLimited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml	Transport/Additional information:	
On cargo aircraft only: 220 LIMDGLimited quantities (LQ)5LExcepted quantities (EQ)Code: E1Maximum net quantity per inner packaging: 30 ml	201	
IMDGLimited quantities (LQ)5LExcepted quantities (EQ)Code: E1Maximum net quantity per inner packaging: 30 ml	Quantity limitations	
Limited quantities (LQ)5LExcepted quantities (EQ)Code: E1Maximum net quantity per inner packaging: 30 ml		On cargo aircraft only: 220 L
Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml	IMDG	
Maximum net quantity per inner packaging: 30 ml		12
	Excepted quantities (EQ)	
Maximum net auantity per outer packaging: 1000 ml		
		Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

(Contd. on page 7)

US

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Iron Standard Solution

	(Contd. of page
Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Nitric Acid	ACTIV
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements Not Applicable	
Hazard pictograms Not Applicable	
Signal word Not Applicable	
Hazard statements Not Applicable	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out	•

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- · Date of preparation / last revision

Revision 1.2 07/24/2024: Reviewed SDS for accuracy. MH/STN 07/24/2024 / 1.0 • **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Iron Standard Solution

(Contd. of page 7)

US

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit • * Data compared to the previous version altered.